

1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.

2. HORIZONTAL REFERENCE – NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S.FOOT.

3. VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.94' BELOW N.A.V.D. 88. GEOID 09 AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED.

4. SOUNDINGS ARE EXPRESSED IN FEET & TENTHS AND REFER TO MEAN LOWER LOW WATER.

5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL, SHIFTED TO THE CELL'S CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.

7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 3' X 3' CELL.

   40' CURVE OF DEPTH SHOWN THUS : ———

   42' CURVE OF DEPTH SHOWN THUS : ———

8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.

9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.

11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN BE DOWNLOADED HERE: http://navigation.usace.army.mil/survey/framework

12. BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATASET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

US Army Corps of Engineers
Philadelphia District

Mark	Description	Date	Appr.

Designed by:	Date:
Dwn. by: Ckd. by:	IFB DACW61-
Reviewed by:	Drawing code:
Submitted by: Chief, Arch. Branch	File name: 08/18/2016 Plot date: 08/18/2016 Plot scale: 1in to 200 ft

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

TRACED BY	PLOTTED BY
J.A.Groch	M.Caughan
SURVEYED BY	DATE SURVEYED
Shuman	as shown

DRAWING NO. 65742
APPROVED
CHIEF, ARCH. BRANCH

DELAWARE RIVER
PHILADELPHIA TO THE SEA
EXAMINATION
BRANDYWINE RANGE
STA.447+734.15 TO STA.460+000

Sheet reference number:

Sheet 1 of 6



1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.

2. HORIZONTAL REFERENCE – NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S.FOOT.

3. VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.94' BELOW N.A.V.D. 88. GEOID 09 AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED.

4. SOUNDINGS ARE EXPRESSED IN FEET & TENTHS AND REFER TO MEAN LOWER LOW WATER.

5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL, SHIFTED TO THE CELL'S CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.

7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 3' X 3' CELL.

   40' CURVE OF DEPTH SHOWN THUS :
   42' CURVE OF DEPTH SHOWN THUS :

8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.

9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.

11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN BE DOWNLOADED HERE: http://navigation.usace.army.mil/survey/framework

12. BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATASET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

US Army Corps of Engineers
Philadelphia District

Mark	Description	Date	Appr.

Designed by:	Date:
Dwn by: Clkd by:	EFB DAC#61-
Reviewed by:	Drawing code:
Submitted by: Chief, Arch. Branch	File name: Plot date: 08/18/2016 Plot scale: 1in to 200 ft

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

TRACED BY	PLOTTED BY	DRAWING NO.	
J.A.Groch	M.Gaughan	65743	
SURVEYED BY	DATE SURVEYED	APPROVED	
Shuman	as shown	CHIEF, SURVEY BRANCH	

DELAWARE RIVER
PHILADELPHIA TO THE SEA
EXAMINATION
BRANDYWINE RANGE
STA.460+000 TO 472+000

Sheet reference number:

Sheet 2 of 6



1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.

2. HORIZONTAL REFERENCE – NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S.FOOT.

3. VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.94' BELOW N.A.V.D. 88. GEOID 09 AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED.

4. SOUNDINGS ARE EXPRESSED IN FEET & TENTHS AND REFER TO MEAN LOWER LOW WATER.

5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL, SHIFTED TO THE CELL'S CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.

7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 3' X 3' CELL.

   40' CURVE OF DEPTH SHOWN THUS : ———

   42' CURVE OF DEPTH SHOWN THUS : ———

8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.

9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.

11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN BE DOWNLOADED HERE: http://navigation.usace.army.mil/survey/framework

12. BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATASET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

US Army Corps of Engineers
Philadelphia District

Mark	Description	Date	Appr.

Date:	Rev.
FEB DACW61-	
Drawing code:	
File name: 08/18/2016 Plot date: Plot scale: 1in to 200 ft	

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

Designed by:		Submitted by:	Chief, Arch. Branch
Dwn by:	Ckd by:	Reviewed by:	
TRACED BY	PLOTTED BY	DRAWING NO.	
J.A.Groch	M.Coughan	65744	
SURVEYED BY	DATE SURVEYED	APPROVED	CHIEF, CIVIL BRANCH
Shuman	as shown		

DELAWARE RIVER
PHILADELPHIA TO THE SEA
EXAMINATION
BRANDYWINE RANGE
STA-472+000 TO STA-484+000

Sheet reference number:

Sheet 3 of 6



1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.

2. HORIZONTAL REFERENCE – NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S.FOOT.

3. VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.94' BELOW N.A.V.D. 88. GEOID 09 AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED.

4. SOUNDINGS ARE EXPRESSED IN FEET & TENTHS AND REFER TO MEAN LOWER LOW WATER.

5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL, SHIFTED TO THE CELL'S CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.

7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 3' X 3' CELL.

   40' CURVE OF DEPTH SHOWN THUS : ———
   42' CURVE OF DEPTH SHOWN THUS : ———

8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.

9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.

11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN BE DOWNLOADED HERE: http://navigation.usace.army.mil/survey/framework

12. BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATASET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

US Army Corps of Engineers
Philadelphia District

Mark	Description	Date	Appr.

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA CORPS OF ENGINEERS PHILADELPHIA, PENNSYLVANIA		Designed by:	Date:
		Dwn by: Ckd by:	IFB DACW61-
		Reviewed by:	Drawing code:
		Submitted by: Chief, Arch. Branch	File name: Plot date: 08/18/2016 Plot scale: 1in to 200 ft
TRACED BY J.A.Groch	PLOTTED BY M.Gaughan	DRAWING NO. 65745	
SURVEYED BY Shuman	DATE SURVEYED as shown	APPROVED date: DEPUTY ENGINEER	

DELAWARE RIVER
PHILADELPHIA TO THE SEA
EXAMINATION
BRANDYWINE RANGE
STA.484+000 TO 496+000

Sheet reference number:

Sheet 4 of 6



1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.

2. HORIZONTAL REFERENCE – NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S.FOOT.

3. VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.94' BELOW N.A.V.D. 88. GEOID 09 AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED.

4. SOUNDINGS ARE EXPRESSED IN FEET & TENTHS AND REFER TO MEAN LOWER LOW WATER.

5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL, SHIFTED TO THE CELL'S CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.

7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 3' X 3' CELL.

   40' CURVE OF DEPTH SHOWN THUS : ———

   42' CURVE OF DEPTH SHOWN THUS : ———

8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.

9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.

11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN BE DOWNLOADED HERE: http://navigation.usace.army.mil/survey/framework

12. BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATASET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

US Army Corps of Engineers
Philadelphia District

Mark	Description	Date	Appr.

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA CORPS OF ENGINEERS PHILADELPHIA, PENNSYLVANIA		Designed by:	Date:
		Dwn by: Ckd by:	IFB DACW61- Rev.
TRACED BY J.A.Groch	PLOTTED BY M.Gaughan	Reviewed by:	Drawing code:
SURVEYED BY Shuman	DATE SURVEYED as shown	Submitted by: Chief, Arch. Branch	File name: Plot date: 08/18/2016 Plot scale: 1in to 200 ft
	DRAWING NO. 65746 APPROVED date stamp below		

DELAWARE RIVER
PHILADELPHIA TO THE SEA
EXAMINATION
BRANDYWINE RANGE
STA.496+000 TO 508+000

Sheet reference number:

Sheet 5 of 6



1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.

2. HORIZONTAL REFERENCE – NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S.FOOT.

3. VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.94' BELOW N.A.V.D. 88. GEOID 09 AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED.

4. SOUNDINGS ARE EXPRESSED IN FEET & TENTHS AND REFER TO MEAN LOWER LOW WATER.

5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL, SHIFTED TO THE CELL'S CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.

7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 3' X 3' CELL.

40' CURVE OF DEPTH SHOWN THUS :
42' CURVE OF DEPTH SHOWN THUS :

8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.

9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.

11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN BE DOWNLOADED HERE: http://navigation.usace.army.mil/survey/framework

12. BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATASET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

Scale in Feet
200 0 200 400 600

US Army Corps of Engineers
Philadelphia District

Mark	Description	Date	Appr.

Mark	Description	Date	Appr.

Rev.	Description	Date

Date:
IFB DACW61-
Drawing code:
File name: 08/19/2016
Plot date:
Plot scale: 1in to 200 ft

Designed by:
Dwn by:
Ckd by:
Reviewed by:
Submitted by: Chief, Arch. Branch

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

TRACED BY	PLOTTED BY	DRAWING NO.
J.A.Groch	M.Gaughan	6574 7
SURVEYED BY	DATE SURVEYED	APPROVED
Shuman	06 Jul 16	CHIEF, SURVEY BRANCH

DELAWARE RIVER
PHILADELPHIA TO THE SEA
EXAMINATION
BRANDYWINE RANGE
STA.508+000 TO STA.514+000

Sheet reference number:

Sheet 6 of 6