

1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.

2. HORIZONTAL REFERENCE – NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S.FOOT.

3. VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.97' BELOW N.A.V.D. 88. GEOID 09 AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED.

4. SOUNDINGS ARE EXPRESSED IN FEET & TENTHS AND REFER TO MEAN LOWER LOW WATER.

5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL, SHIFTED TO THE CELL'S CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.

7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 3' X 3' CELL.

   40' CURVE OF DEPTH SHOWN THUS : ——————
   42' CURVE OF DEPTH SHOWN THUS : ——————

8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.

9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.

11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN BE DOWNLOADED HERE: http://navigation.usace.army.mil/survey/framework

12. BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATASET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

US Army Corps of Engineers
Philadelphia District

Mark	Description	Date	Appr.

Mark	Description	Date	Appr.

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

TRACED BY	PLOTTED BY	DRAWING NO.	Designed by:
J.A.Groch	W.Miller	65805	Dwn. by: Ckd. by:
SURVEYED BY	DATE SURVEYED	APPROVED	Reviewed by:
Cherneski	As Shown	CHIEF, DESIGN BRANCH	Submitted by:
			Chief, Arch. Branch

Date: IFB W912BU1-
Rev.

Quadrangle Name: Delaware City
Plot name:
Plot date: 28 Oct 16
Plot scale: 1in to 200 ft

DELAWARE RIVER
PHILADELPHIA TO THE SEA
EXAMINATION
NEW CASTLE RANGE
STA.212+592.81 TO STA.219+000

Sheet reference number:

Sheet 1 of 4



1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.
2. HORIZONTAL REFERENCE – NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S.FOOT.
3. VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.97' BELOW N.A.V.D. 88. GEOID 09 AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED.
4. SOUNDINGS ARE EXPRESSED IN FEET & TENTHS AND REFER TO MEAN LOWER LOW WATER.
5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL, SHIFTED TO THE CELL'S CENTER.
6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.
7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 3' X 3' CELL.
   40' CURVE OF DEPTH SHOWN THUS :
   42' CURVE OF DEPTH SHOWN THUS :
8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.
9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.
10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.
11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN BE DOWNLOADED HERE: http://navigation.usace.army.mil/survey/framework
12. BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATASET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

US Army Corps of Engineers
Philadelphia District

Mark	Description	Date	Appr.
Mark	Description	Date	Appr.

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA CORPS OF ENGINEERS PHILADELPHIA, PENNSYLVANIA	Designed by:	Date:	Rev.
	Dwn by: Ckd by:	IFB W912BU1-	
TRACED BY J.A.Groch	PLOTTED BY W.Miller	DRAWING NO. 65806	APPROVED
SURVEYED BY Cherneski	DATE SURVEYED As Shown		CHIEF, DONUT BRANCH

Reviewed by:	Quadrangle Name: Delaware City	
Submitted by:	File name:	Plot date: 28 Oct 16
Chief, Arch. Branch		Plot scale: 1in to 200 ft

DELAWARE RIVER
PHILADELPHIA TO THE SEA
EXAMINATION
NEW CASTLE RANGE
STA.219+000 TO STA.226+000

Sheet reference number:

Sheet 2 of 4



1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.
2. HORIZONTAL REFERENCE – NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S.FOOT.
3. VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.97' BELOW N.A.V.D. 88. GEOID 09 AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED.
4. SOUNDINGS ARE EXPRESSED IN FEET & TENTHS AND REFER TO MEAN LOWER LOW WATER.
5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL, SHIFTED TO THE CELL'S CENTER.
6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.
7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 3' X 3' CELL.
   40' CURVE OF DEPTH SHOWN THUS :
   42' CURVE OF DEPTH SHOWN THUS :
8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.
9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.
10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.
11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN BE DOWNLOADED HERE: http://navigation.usace.army.mil/survey/framework
12. BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATASET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

US Army Corps of Engineers
Philadelphia District

Mark	Description	Date	Appr.
Mark	Description	Date	Appr.

Rev.	Date:	Designed by:	Dwn by:	Ckd by:	Quadrangle Name: Delaware City
	FFB W912BU1-	Reviewed by:			Plot date: 28 Oct 16
		Submitted by:			Plot scale: 1in to 200 ft
		Chief, Arch. Branch			

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA
CORPS OF ENGINEERS
PHILADELPHIA, PENNSYLVANIA

TRACED BY	PLOTTED BY	DRAWING NO.
J.A.Groch	W.Miller	65807
SURVEYED BY	DATE SURVEYED	APPROVED
Cherneski	As Shown	CHIEF, DESIGN BRANCH

DELAWARE RIVER
PHILADELPHIA TO THE SEA
EXAMINATION
NEW CASTLE RANGE
STA.226+000 TO STA.232+500

Sheet reference number:
Sheet 3 of 4



1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.

2. HORIZONTAL REFERENCE – NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S.FOOT.

3. VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.97' BELOW N.A.V.D. 88. GEOID 09 AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED.

4. SOUNDINGS ARE EXPRESSED IN FEET & TENTHS AND REFER TO MEAN LOWER LOW WATER.

5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL, SHIFTED TO THE CELL'S CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.

7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 3' X 3' CELL.

   40' CURVE OF DEPTH SHOWN THUS : ———
   42' CURVE OF DEPTH SHOWN THUS : ———

8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.

9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.

11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN BE DOWNLOADED HERE: http://navigation.usace.army.mil/survey/framework

12. BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATASET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

US Army Corps of Engineers
Philadelphia District

Mark	Description	Date	Appr.

U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA CORPS OF ENGINEERS PHILADELPHIA, PENNSYLVANIA		Designed by:	Date:
		Dwn by:	Ckd by:
		Reviewed by:	
		Submitted by:	
		Chief, Arch. Branch	
TRACED BY J.A.Groch	PLOTTED BY As Shown	DRAWING NO. 65808	Rev:
SURVEYED BY Cherneski	DATE SURVEYED As Shown	APPROVED CDR, CENAP-MAOOP	

IFB W912BI-

Quadrangle Name: Delaware City

Plot date: 28 Oct 16
Plot scale: 1in to 200 ft

DELAWARE RIVER
PHILADELPHIA TO THE SEA
EXAMINATION
NEW CASTLE RANGE
STA.232+500 TO 238+982.17

Sheet reference number:

Sheet 4 of 4