

Well ID: MW-9

FIELD SAMPLE PARAMETERS

[illegible]

Sample ID: _____

Receiving Laboratory:

Sample Collection Time: _____

Sample Parameters:

Sample Collection Personnel:

Page ____ of ____

Well ID: 10

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units			uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
4/19/06			7.36	622	14.75	-87.1	10.1	1.00	4.93	200
4/20/06	1112		7.36	606	15.08	-97.0	12.1	0.61	5.10	170
	1116		7.35	596	15.31	-72.2	12.1	0.55	5.22	200
	1121		7.31	594	15.41	-59.8	12.1	0.45	5.22	
	1126									
	1131									
	1133									
	1245				15.10					
	1250		7.31	582	15.10	-73.3	12.1	0.46	5.20	200
	1255		7.27	560	15.31	-68.4	12.1	0.29	5.30	
	1300		7.33	535	15.39	-70.0	12.1	0.27	5.76	
	1305		7.42	541	15.53	-77.6	12.1	0.34	6.19	100
	1310		7.42	533	15.63	-83.6	12.1	0.38	6.32	100
	1315		7.41	550	15.30	-88.6	12.2	0.39	6.48	
	1320		7.40	547	15.65	-100.6	12.1	0.43	6.62	
	1325		7.41	542	15.54	-113.7	12.1	0.40	6.86	
	1330		7.42	551	15.64	-117.9	12.1	0.38	7.06	

SAMPLE MW-10

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: 1330

Sample Parameters: _____

Sample Collection Personnel: _____

Page ____ of ____

(over)

Well ID: MW-11

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units		[]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
4/27	1045								7.34	150
	1058		11.71	1027	16.66	-220.0		1.57	7.86	100
	1105		11.73	1030	16.69	-227.0	0.4	0.73	7.78	100
	1110		11.74	1031	16.73	-230.0	0.7	0.51	7.80	100
	1115		11.75	1030	16.65	-238.4	1.8	0.49	7.82	100
	1120		11.76	1029	16.58	-233.4	1.4	0.23	7.82	100
	1125		11.77	1028	16.80	-248.6	1.3	0.21	7.84	100
	1130		11.77	1026	16.81	-255.0	1.6	0.20	7.85	100
	1250		11.72	1015	21.53	-248.4	2.6	0.17	7.51	150
	1255		11.73	1018	19.37	-251.5	4.0	0.14	7.72	100
	1300		11.68	1014	19.21	-255.5	4.8	0.05	7.76	100
	1305		11.68	1016	18.59	-254.1	4.8	0.03	7.79	100
	1310		11.68	1015	18.66	-262.4	3.4	0.02	7.81	100
	1315		11.69	1015	18.50	-264.4	3.4	0.01	7.81	100
	1320	SAMPLE MW-11								

STOP
PURGESTART
PURGE

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: _____

Sample Parameters: _____

Sample Collection Personnel: _____

Page ____ of ____

Well ID: 12A

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
Units			[]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
5/3/06	1110								5.12	
	1120		8.20	1096	19.14	-202	7.0	0.72		[Lunch]
	1235		7.86	1069	21.57	-137	—	0.78	5.55	
	1240		7.77	1054	19.67	-155	2.5	0.38	6.03	175
	1245		7.71	1035	20.28	-143	1.9	0.32	6.18	200
	1250		7.67	1024	20.75	-137	1.6	0.29	6.25	
	1255		7.66	1023	21.29	-137	1.5	0.32	6.20	
	1300		7.66	1023	21.19	-136	0.9	0.30	6.23	
	1300	Start Sampling								
	1345	Finish Sampling								

Sample ID:

MW-12A

Receiving Laboratory:

Sample Collection Time:

Sample Parameters:

Sample Collection Personnel:

Page ___ of ___

Well ID: MW-13

5/2/2006

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
		Units	[-]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
5/2/06	0815								7.02	
	0820		5.59	3695	14.06	27.1	686.2	1.61	7.33	100
	0830		5.58	3748	14.11	24.1	451.6	0.78	7.36	100
	0835		5.61	3756	13.91	23.6	233.2	0.65	7.40	100
	0840		5.60	3738	14.05	25.1	155.2	0.60	7.42	150
	0845		5.62	3721	14.10	27.0	101.1	0.61	7.35	100
	0850		5.61	3706	14.32	28.1	80.6	0.62	7.33	100
	0855		5.63	3660	14.62	27.3	67.2	0.60	7.35	100
	0905		5.62	3623	14.66	29.3	58.0	0.58	7.37	100
	0915		5.66	3556	14.82	30.0	41.0	0.56	7.39	100
	0925		5.65	3468	14.94	30.8	40.4	0.55	7.40	100
	0935		5.64	3358	14.87	31.2	28.9	0.55	7.41	100
	0950		5.66	3273	15.10	31.0	29.2	0.59	7.31	100
	1010		5.46	3302	15.64	31.5	4**	0.58	7.31	100
		Start Sampling 1010								

** HACH FAU value

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: 1010

Sample Parameters: _____

Sample Collection Personnel:

D. KATELEY
R. ALLEN

Page 1 of 1

Well ID: MW-14

FIELD SAMPLE PARAMETERS

2.28 = static

[illegible]

Sample ID: _____

Receiving Laboratory:

Sample Collection Time: 1320

Sample Parameters:

Sample Collection Personnel: R. Allen

Page ____ of ____

Well ID: MW-15

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units		[-]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
5/4/06	0820								5.85	
	0825		6.87	913	18.86	-108.2	7.2	0.65	6.53	150
	0835		6.86	924	19.58	-113.3	1.5*	0.34	7.08	150
↑	0845		6.85	932	19.70	-114.0	0.9	0.85	8.41	100
DK	0855	STOP PURGE, WELL DRY								
RA*	1315								6.21	
↓	1320		6.67	1079	23.50	-99	123	1.89	6.79	
	1325		6.67	1073	23.10	-90.2	24.9	1.27	7.59	150
	1330		6.71	1107	22.69	-98	32.8	0.81		Water went dry
5/5/06	1130	—							5.92	
	1135		6.69	1242	23.01	-43	0	1.57	6.36	140
	1140		6.67	1260	22.98	-45	14	0.93	6.66	
	1145		6.67	1266	22.96	-46.6	0	0.55	7.0	
	1150		6.67	1244	23.10	-49.4	9	0.87	7.76	
	1155		6.69	1249	23.40	-54	10	1.89	7.95	

*Other TS1 SN
03120 (PINE)

1325
1445

Sample ID: _____ Receiving Laboratory: _____

Sample Collection Time: _____ Sample Parameters: _____

> collect sample, well goes dry
 > continue to collect sample

Sample Collection Personnel: _____

Page ____ of ____

Well ID: MW-16

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units	L	[]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
5-1-06	1350	0	—	—	—	—	—	—	4.79	Depth to bottom = 20.99
5-1-06	1355	1.0	8.96	1753	17.92	-41.9	6.1	0.32	4.80	200 mL/min
5-1-06	1400	2.0	8.96	1755	17.99	-175.7	6.3	0.13	4.80	water color is
5-1-06	1410	4.0	8.91	1739	17.75	-227.8	5.7	0.07	4.80	brown
5-1-06	1420	6.0	8.88	1736	17.56	-286.7	4.2	0.05	4.80	PID=0.0
5-1-06	1425	8.0	8.87	1735	17.82	-39.4	3.9	0.05	4.80	
5-1-06	1430	8.0	8.86	1739	17.90	-327.4	3.7	0.05	4.80	
5-1-06	1440	10	8.85	1745	17.41	-358.6	3.5	0.05	4.80	
5-1-06	1445	11	8.85	1732	17.35	-368.7	3.5	0.05	4.80	
5-1-06	1450	12	8.86	17.55	17.52	-375.9	3.7	0.05	4.80	collect sample

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: _____

Sample Parameters: _____

Sample Collection Personnel: Ken Marion

Page ____ of ____

Well ID: MW-17

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
		Units								
		L	[]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
5-1-06	0815	0	—	—	—	—	—	—	5.87	21.67 depth to bottom
5-1-06	0830	0	—	—	—	—	—	—	5.87	PID = 0.3 ppm
5-1-06	0835	0.750	6.52	761	14.75	-107.5	21.1	1.11	6.12	150 mL/min
5-1-06	0840	1.5	6.56	751	14.68	-109.2	20.4	0.90	6.05	150 mL/min
5-1-06	0845	2.25	6.57	737	14.71	-110.2	13.7	0.64	6.05	150
5-1-06	0855	3.75	6.58	733	14.97	-110.4	9.1	0.59	6.05	150
5-1-06	0905	5.25	6.59	725	15.12	-109.8	6.1	0.50	6.05	150
5-1-06	0910	6.00	6.57	713	15.32	-108.5	4.6	0.50	6.05	150
5-1-06	0915	6.75	6.58	717	15.41	-109.1	4.8	0.50	6.07	150
5-1-06	0920	7.50	6.59	720	15.68	-109.6	4.1	0.35.45	6.05	150
5-1-06	0925	8.25	6.59	715	15.71	-109.1	4.0	0.49	6.05	collect sample plus Duplicate

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: _____

Sample Parameters: _____

Sample Collection Personnel:

Ken Marion

Page ____ of ____

Well ID:

FIELD SAMPLE PARAMETERS

[illegible]

Sample ID: _____

Sample Collection Time: _____

Receiving Laboratory:

Sample Parameters: _____

Sample Collection Personnel:

Page ____ of ____

Well ID: MW-19 (flush mount by drainage ditch)

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
Units			[]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
5/3/06	1435		6.72	1555	18.87	-68	18.6	1.61	2.60	
	1440		6.65	1390	19.04	-91	21.3	1.07	4.65	130
	1445		6.74	1059	19.15	-83	18.4	1.02	5.22	130
	1450		6.65	1259	19.08	-81	49	1.57	5.82	(went dry)
	1500		6.69	1375	19.42	-79	32	2.55	5.72	
	1515	Packed up - will let recharge overnight								
5/4/06	0905		6.60	1508	18.43	-90	55	1.31	2.54	100
	0920		6.98	RA 42	16.26	RA 219	RA 24.8	RA 9.89*	4.35	100
	0925		6.65	1460	18.16	-91	52	0.53	4.98	100
	0930		6.63	1424	18.25	-86	52	0.67	5.64	(went dry)
	0944	(start pumping)								4.36
	0960		6.63	1485	18.90	-78	22.9	0.99	5.20	100
	0955		6.65	1444	18.47	-89	5.8	0.58	5.54	(went dry)
	1000		6.62	1434	19.56	-82	5.5	1.35	5.62	(went dry)
	1013	(start pumping)								4.50

* in calibration mode

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: _____

Sample Parameters: _____

Sample Collection Personnel: _____

Well ID: MW-19

FIELD SAMPLE PARAMETERS

[illegible]

Sample ID: Myw-19

Receiving Laboratory:

Sample Collection Time: 1035 5/4/06

Sample Parameters:

Sample Collection Personnel: RA

Page 2 of 2

22

Well ID: 20A

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb [†]	DO	Depth to Water from TOC	Pump Rate
	Units	L	[-]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
5-3-06	1415	0	—	—	—	—	—	—	4.82	Depth to bottom = 9.96
5-3-06	1420	1	6.95	837	18.65	-115.4	-5.2	0.12	5.65	200 mL/min
5-3-06	1425	2	6.97	840	19.74	-116.1	-5.1	0.28	5.83	150 mL/min.
5-3-06	1430	2.75	7.00	828	18.94	-118.6	-5.0	0.18	6.20	
5-3-06	1435	3.5	6.97	823	19.38	-119.3	-5.1	0.13	6.45	
5-3-06	1440	4.25	6.98	825	19.23	-119.4	-4.5	0.14	6.71	
5-3-06	1445	5.0	6.98	819	18.86	-118.2	-4.6	0.13	7.02	
5-3-06	1450	5.75	7.01	816	18.84	-117.6	-4.0	0.12	7.33	
5-3-06	1455	6.5	6.99	813	19.05	-116.4	-3.7	0.10	7.60	
5-3-06	1500	7.25	6.98	812	19.03	-114.6	-3.2	0.11	7.91	150 mL/min
5-3-06	1503	7.70	6.98	806	18.95	-109.7	-2.3	0.13	—	collect sample

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: _____

Sample Parameters: _____

Sample Collection Personnel:

Ken Marston

Page ____ of ____

* Turbidity cannot be less than zero
cannot purge more slowly without pump stopping

Well ID: MW-21A

FIELD SAMPLE PARAMETERS

[illegible]

Sample ID: _____

Sample Collection Time: _____

Receiving Laboratory:

Sample Parameters:

Sample Collection Personnel:

Page ____ of ____

* 11.15 - TURBIDITY SHOWED NEG #5.
LOGGED AS 0.0 Dk

Well ID: MW-22

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units		[]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
4/28/06	1220								4.01	
	1225		7.14	2007	17.36	-108.5	0.0	6.05	4.35	100
	1315		7.25	1973	24.85	-103.2	0.8	1.30	4.10	150
	1320		7.22	2022	19.42	-124.5	4.0	0.61	4.11	125
	1325		7.31	1876	18.95	-135.0	0.3	0.62	4.80	100
	1330		7.60	1617	18.77	-150.7	0.0	0.48	4.71	100
	1335		7.64	1491	19.41	-150.3	0.0	0.41	4.73	100
	1340		7.61	1400	20.26	-147.8	0.0	0.38	4.84	100
	1345		7.58	1372	18.78	-146.2	0.0	0.40	5.01	100
	1350	SAMPLE MW-22								

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: _____

Sample Parameters: _____

Sample Collection Personnel: _____

Page ____ of ____

Well ID: MW-23B

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb [*]	DO	Depth to Water from TOC	Pump Rate
	Units	L	[-]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
5-3-06	1245	0	7.18	715	17.59	-103.6	-1.5	0.77	4.56	depth to bottom = 20.34
5-3-06	1250	.75	7.13	714	18.49	-100.3	-2.9	0.61	4.62	150 mL/min
5-3-06	1255	1.5	7.10	718	18.81	-102.8	-2.9	0.36	4.62	
5-3-06	1300	2.25	7.06	717	18.64	-103.8	-2.9	0.30	4.62	
5-3-06	1305	3.0	7.08	717	18.54	-106.9	-2.9	0.22	4.62	
5-3-06	1310	3.75	7.07	718	18.44	-107.4	-3.5	0.17	4.62	
5-3-06	1315	4.5	7.09	719	18.36	-107.7	-3.3	0.16	4.62	150 mL/min
5-3-06	1320	5.25	7.05	720	18.71	-107.7	-3.5	0.14	4.62	collect sample
5-3-06	1325	6.00	7.07	722	18.69	-108.2	3.4	0.11	4.62	
5-3-06	1330	6.75	7.08	720	18.55	-108.1	3.5	0.10	4.62	
5-3-06	1335	7.50	7.07	720	18.45	-107.8	-3.7	0.10	4.62	collect sample

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: _____

Sample Parameters: _____

Sample Collection Personnel: Ken Marion

Page ____ of ____

* Turbidity cannot be less than zero

Well ID: MW-24

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb*	DO	Depth to Water from TOC	Pump Rate
	Units	L	[-]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
5-1-06	1050	0	10.18	282	18.34	-54.6	-4.5	2.51	4.04	PID=0.1 ppm
5-1-06	1055	.750	9.91	280	18.48	-40.9	-4.6	2.69	5.12	10.55 = depth to bottom
5-1-06	1105	2.25	9.76	279	18.88	-27.2	-4.6	2.69	5.29	150 mL
5-1-06	1110	3.0	9.80	280	18.73	-24.0	-4.6	2.77	5.70	
5-1-06	1115	3.75	9.87	280	18.85	-24.6	-4.7	2.79	6.09	
5-1-06	1120	4.50	9.90	280	18.85	-24.3	-4.7	2.79	6.32	Collect Sample
5-1-06	1135									Pump stopped
5-1-06	1145									Resume Sample collection

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: _____

Sample Parameters: _____

Sample Collection Personnel: _____

Page ____ of ____

Note: Turbidity cannot be negative
unable to purge more slowly
The temperature is likely being effected by the sun.

Well ID: 25c

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
		Units	[-]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
5/3/04	0930	—							10.23	150
	0940	150	12.18	4958	15.78	-242	20.2	0.89	10.81	—
	0945	300	12.22	4997	15.79	-232	17.0	0.81	10.98	✓
	0950	450	12.24	5056	15.83	-220	17.2	0.72	11.18	150
0955	0955		12.24	5058	16.06	-202	17.7	0.82	11.58	
	1000		12.23	5067	16.12	-192	18.1	0.72	11.73	
	1005		12.23	5063	16.27	-183	11.2	0.65	11.92	
	1010		12.22	5074	16.36	-167	4.5	0.67	12.13	
	1015		12.22	5081	16.33	-161	0.9	0.65	12.32	
	1015	Stat Sampling								

Sample ID:

MW-25C

Receiving Laboratory:

Sample Collection Time:

Sample Parameters:

Sample Collection Personnel:

Page ___ of ___

Well ID: MW-26A

FIELD SAMPLE PARAMETERS

[illegible]

Sample ID: _____

Receiving Laboratory:

Sample Collection Time: _____

Sample Parameters:

Sample Collection Personnel:

Page ____ of ____

Well ID:

FIELD SAMPLE PARAMETERS

[illegible]

Sample ID:

Receiving Laboratory:

Sample Collection Time:

Sample Parameters:

Sample Collection Personnel:

D. KATZLEY

Page ____ of ____

* NOTE: TURBIDITY RDG is NEG, Logged as 0.0

RALLEN DID HACH TURBIDITY TEST - RDG = 0.0

Well ID: MW-02 (6-MW-02)

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units		[]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
5-5-06	0935	0	-	-	-	-	-	-	9.15	17.44 ft to bottom
5-5-06	0940	1.25	5.35	730	16.47	174.4	-26.2	2.45	9.20	PID=0.0ppm
5-5-06	0945	2.5	5.30	736	14.26	211.1	-34.2	1.35	9.20	250 mL/min
5-5-06	0950	3.75	5.36	758	14.27	240.0	*9	1.14	9.20	Turbidity Probe malfunction
5-5-06	1000	6.25	5.41	789	14.38	300.2	0	0.94	9.20	
5-5-06	1010	8.75	5.39	796	14.22	371.7	6	0.93	9.20	
5-5-06	1015	10.00	5.40	796	14.35	388.1	0	0.90	9.20	
5-5-06	1020	11.25	5.39	795	14.68	408.2	0	0.91	9.20	
5-5-06	1025	12.5	5.38	802	14.99	430.6	0	0.90	9.20	
5-5-06	1030	13.75	5.34	803	14.94	447.7	0	0.88	9.20	Collect sample

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: _____

Sample Parameters: _____

Sample Collection Personnel: _____

Page ____ of ____

Turbidity measured using Hach K₁T, units are FAU

Well ID:

FIELD SAMPLE PARAMETERS

[illegible]

Sample ID:

Receiving Laboratory:

Sample Collection Time:

Sample Parameters:

Sample Collection Personnel:

Page 1 of

* Turbidity measured via Hach kit, units are FAU



CABRERA SERVICES TEMPORARY WELL POINT AND SAMPLING RECORD

PHYSIOLOGICAL - ENVIRONMENTAL - REMEDIATION

Well ID / AOC: 4-MW-01, AOC4

Date: 6-13-06

Well Location: OU3

Sample No: _____

Well / Site Description: Stick up, Marsh

Weather: Sunny and mild

Well Construction Material: sch 40 PVC Stick-Up (ft from ground surface to top of casing (TOC) ~ 3'

Well Interior Diameter (id) 4 Distance from TOC to Top of Riser (TOR): .2

Well Interior radius (id/2) 2

Well Depth (d; ft from TOC or TOR - Circle one) 21.85

Static Water Level (w; ft from TOC or TOR - Circle one) 4.29 Static Water Height (h = d - w; ft) _____

Purging Method: low flow Purging Equipment: Geopump 2

Static Water Volume (V = h(0.16) gal for 2" well; h(0.65) gal for 4" well; h(1.5) gal for 6" well: _____

Pump Rate (gpm) / (Lpm): .300 Lpm

Pump Time (min): 60

Volume Removed (gal) / (L): 18 L

Did Well Go Dry?: (YES) (NO)

Recovery Time (min): _____

Purge Again?: (YES) (NO)

Total Volume Removed (gal) / (L): _____

Notes:

Well ID: 4-MW-01

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	SP Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units	L	[]	uS/cm	degC	mV	NTU	mg/L	FT	mL/min
6-13-06	1125	0	—	—	—	—	—	—	4.29	200
6-13-06	1130	1.5	6.88	919	19.13	-39.5	37.4	2.63	4.38	Stop Pump
6-13-06	1240	1.5	6.66	1040	20.41	-61.1	36.7	2.26	4.32	Resume Pumping
6-13-06	1255	6	6.45	1230	18.61	-63.8	36.3	1.07	4.38	
6-13-06	1320	13.5	6.70	1901	19.01	-127.8	14.7	0.40	4.38	
6-13-06	1325	15.0	6.71	2009	18.88	-136.7	9.2	0.36	4.38	
6-13-06	1330	16.5	6.73	2032	19.14	-140.5	7.3	0.36	4.38	300
6-13-06	1335	18	6.73	2061	19.35	-145.9	6.3	0.35	4.38	Collect sample

Sample ID: _____

Receiving Laboratory: ParagonSample Collection Time: 1335

Sample Parameters: _____

Sample Collection Personnel: Ken MarionPage 1 of 1



CABRERA SERVICES TEMPORARY WELL POINT AND SAMPLING RECORD
PHYSIOLOGICAL - ENVIRONMENT - REMEDIATION

Well ID / AOC: 4-MW-02 / AOC 4

Date: 6-12-06

Well Location: OU3

Sample No: _____

Well / Site Description: Stick up Well

Weather: Mostly Sunny

Well Construction Material: Sch 40 PVC Stick-Up (ft from ground surface to top of casing (TOC) 23

Well Interior Diameter (id) 4 Distance from TOC to Top of Riser (TOR): _____

Well Interior radius (id/2) 2

Well Depth (d; ft from TOC or TOR - Circle one) _____

Static Water Level (w; ft from TOC or TOR - Circle one) _____ Static Water Height (h = d - w; ft) _____

Purging Method: low-flow Purging Equipment: geopump 2

Static Water Volume (V = h(0.16) gal for 2" well; h(0.65) gal for 4" well; h(1.5) gal for 6" well: _____

Pump Rate (gpm) / (Lpm): 300 Lpm

Pump Time (min): _____

Volume Removed (gal) / (L): _____

Did Well Go Dry?: (YES) (NO)

Recovery Time (min): _____

Purge Again?: (YES) (NO)

Total Volume Removed (gal) / (L): _____

Notes:

4-MW-02

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	SP Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units	L	—	µS/cm	°C	mV	NTU	Mg/L	ft	mL/min
6-12-06	1055	0	—	—	—	—	—	—	5.49	Begin Purging
6-12-06	1105	3	6.94	720	14.96	-128.1	26.8	0.35	5.50	300
6-12-06	1120	7.5	6.94	720	15.09	-128.8	21.5	0.29	5.50	300
6-12-06	1130	9	6.97	725	15.10	-131.4	8.9	0.26	5.50	300
6-12-06	1140	12	6.97	726	15.08	-131.4	14.7	0.25	5.50	300
6-12-06	1200	18	6.97	718	15.88	-106.6	31.7	0.77	5.50	stopped pump
6-12-06	1305	18	6.96	726	17.05	-116.5	29.1	0.51	5.50	restart pump
6-12-06	1320	22.5	6.97	731	16.63	-125.7	16.9	0.40	5.50	300
6-12-06	1335	27	7.01	735	16.55	-134.5	8.2	0.34	5.50	300
6-12-06	1340	28.5	7.00	736	16.84	-135.1	7.7	0.33	5.50	300
6-12-06	1345	30	7.00	735	16.45	-134.7	9.1	0.33	5.50	300

collect sample

Sample ID: _____

Receiving Laboratory: Paragon

Sample Collection Time: _____

Sample Parameters: _____

Sample Collection Personnel: _____

Page 1 of 1

Depth to bottom = 11.15 ft

Well ID: 4-MW-05

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units		[-]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
6-13-06	1030	—	6.88	1814	17.52	-114.0	0	0.90	4.81	250
"	1040		7.16	1814	17.79	-121.0	0	0.44	4.75	250
"	1050		7.26	1812	18.34	-124.1	0	0.67	4.74	250
"	1100		7.31	1816	18.25	-124.1	0	0.68	4.75	250
"	1110		7.31	1810	18.45	-120.4	0	0.483	4.75	250
"	1120		7.34	1810	18.72	-123.2	0	0.55	4.77	250
BREAK FOR LUNCH										
"	1245		7.33	1905	20.76	-143.6	0	0.98	4.80	250
"	1255		7.31	1820	18.60	-137.6	0	0.63	4.73	250
"	1305		7.32	1818	18.76	-135.8	0	0.69	4.71	250
"	1315		7.33	1814	18.60	-132.0	0	0.66	4.72	250
	1320	COLLECT SAMPLE								

Sample ID: 4-MW-05

Receiving Laboratory:

Sample Collection Time: 1320

Sample Parameters:

Sample Collection Personnel: DAUG KATELEY

Page ___ of ___

NOTE: TURBIDITY HAS BEEN RDG - #'S, -1.2, -1.4 ETC, LOGGED AS ZERO



CABRERA SERVICES TEMPORARY WELL POINT AND SAMPLING RECORD

RADIOLOGICAL • ENVIRONMENT • REMEDIATION

Well ID / AOC:

4-mw-06 / AOC 4

Date:

6-12-06

Well Location:

OU3

Sample No:

Well / Site Description:

Stick up well

Weather:

Cloudy, light drizzle

Well Construction Material:

Sch 40 PVC

Stick-Up (ft from ground surface to top of casing (TOC) ~3

Well Interior Diameter (id)

4

Distance from TOC to Top of Riser (TOR):

.19

Well Interior radius (id/2)

2

Well Depth (d; ft from TOC or TOR - Circle one)

10.56

Static Water Level (w; ft from TOC or TOR - Circle one)

5.10

Static Water Height (h = d - w; ft)

Purging Method:

geopump 2, low-flow

Purging Equipment:

geopump 2

Static Water Volume (V = h(0.16) gal for 2" well; h(0.65) gal for 4" well; h(1.5) gal for 6" well:

250 LPM and

Pump Rate (gpm) / (Lpm):

300 LPM

Pump Time (min):

Volume Removed (gal) / (L):

Did Well Go Dry?:

(YES)

(NO)

Recovery Time (min):

Purge Again?:

(YES)

(NO)

Total Volume Removed (gal) / (L):

Notes:

4-MW-06

FIELD SAMPLE PARAMETERS

Date	Time*	Volume Removed	pH	Sp. Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units	L		uS/cm	°C	mV	NTU	mg/L	ft	L/min
6-12-06	0835	1.5	8.15	2994	17.11	-228	27.0	0.43	5.17	300
6-12-06	0845	4.5	8.40	2972	17.20	-260.3	15.9	0.29	5.18	300
6-12-06	0855	7.5	8.38	2974	17.22	-271.4	29.5	0.22	5.20	300
6-12-06	0900	9.0	8.44	2967	17.32	-278.5	18.4	0.22	5.18	250
6-12-06	0910	10	8.50	2955	17.35	-286.4	9.8	0.18	5.18	250
6-12-06	0915	11	8.50	2950	17.39	-283.6	9.5	0.17	5.18	250
6-12-06	0920	12	8.50	2948	17.39	-284.7	9.9	0.17	5.18	250

collect sample

Sample ID:	_____	Receiving Laboratory:	Paragon
Sample Collection Time:	0920	Sample Parameters:	_____

Sample Collection Personnel: Ken Marion

* Started purging at 0830 / starting water level is 5.10



CABRERA SERVICES TEMPORARY WELL POINT AND SAMPLING RECORD

RADIOLOGICAL - ENVIRONMENTAL - REMEDIATION

Well ID / AOC:

4-mw-07, AOC 4

Date: 6-13-06

Well Location:

043 AOC 4

Sample No: _____

Well / Site Description:

Stickup ; Marsh

Weather:

Sunny clear, mild

Well Construction Material:

sch 40 PVC

Stick-Up (ft from ground surface to top of casing (TOC) ~ 3

Well Interior Diameter (id)

4

Distance from TOC to Top of Riser (TOR): .2

Well Interior radius (id/2)

2

Well Depth (d; ft from TOC or TOR - Circle one)

10.88

Static Water Level (w; ft from TOC or TOR - Circle one)

4.10

Static Water Height (h = d - w; ft) _____

Purging Method:

low flow

Purging Equipment:

Geopump 2

Static Water Volume (V = h(0.16) gal for 2" well; h(0.65) gal for 4" well; h(1.5) gal for 6" well: _____

Pump Rate (gpm) / (Lpm):

300 Lpm

Pump Time (min):

90

Volume Removed (gal) / (L):

27 L

Did Well Go Dry?:

(YES) (NO)

Recovery Time (min):

0

Purge Again?:

(YES) (NO)

Total Volume Removed (gal) / (L): _____

Notes:

Well ID:

FIELD SAMPLE PARAMETERS

[illegible]

Sample ID:

Receiving Laboratory:

Paragon

Sample Collection Time:

1025

Sample Parameters:

Sample Collection Personnel:

Ken Mason

Page 1 of 1



CABRERA SERVICES TEMPORARY WELL POINT AND SAMPLING RECORD

BIODIVERSITY - ENVIRONMENTAL - REMEDIATION

Well ID / AOC: H17 - M02B

Date: 6-13-06

Well Location: 003 - AOC 4

Sample No: _____

Well / Site Description: GRAVEL LOT NEAR RIVER

Weather: SUNNY 80's

Well Construction Material: SCH 40 PVC Stick-Up (ft from ground surface to top of casing (TOC) 3'

Well Interior Diameter (id) 2" Distance from TOC to Top of Riser (TOR): _____

Well Interior radius (id/2) 1" TD 24.73 FT BTOR

Well Depth (d; ft from TOC or (TOR) Circle one) 24.73 FT

Static Water Level (w; ft from TOC or (TOR) Circle one) 7.93 Static Water Height (h = d - w; ft) 16.80

Purging Method: GEOPUMP Purging Equipment: GEOPUMP, VSI

Static Water Volume (V = h(0.16) gal for 2" well; h(0.65) gal for 4" well; h(1.5) gal for 6" well: _____

Pump Rate (gpm) (Lpm) 250

Pump Time (min): 75 mins

Volume Removed (gal) / (L): _____

Did Well Go Dry?: (YES) (NO)

Recovery Time (min): _____

Purge Again?: (YES) (NO)

Total Volume Removed (gal) / (L): _____

Notes:

Well ID: H17-M02B

FIELD SAMPLE PARAMETERS

[illegible]

DEPTH TO BOTTOM 24.73

Sample ID: H17-M02B

Sample Collection Time: 1535

Receiving Laboratory:

Sample Parameters: _____

Sample Collection Personnel: DAVE KATELEY

Page _____ of _____

9.28/10:40
9.10 10:50



CABRERA SERVICES TEMPORARY WELL POINT AND SAMPLING RECORD
RADIOLOGICAL ENVIRONMENTAL REMEDIATION

Well ID / AOC:

I17-PO1A

Date:

6-13-06

Well Location:

043

Sample No:

Well / Site Description:

Stick up (piezometer); located near road

Weather:

Sunny and warm

Well Construction Material:

Sch 40 PVC

Stick-Up (ft from ground surface to top of casing (TOC))

~1.5

Well Interior Diameter (id)

1.5

Distance from TOC to Top of Riser (TOR):

0.7

Well Interior radius (id/2)

.75

Well Depth (d; ft from TOC or TOR - Circle one)

9.73

Static Water Level (w; ft from TOC or TOR - Circle one)

3.58

Static Water Height (h = d - w; ft)

Purging Method:

low flow

Purging Equipment:

Geopump 2

Static Water Volume (V = h(0.16) gal for 2" well; h(0.65) gal for 4" well; h(1.5) gal for 6" well:

Pump Rate (gpm) / (Lpm):

Volume Removed (gal) / (L):

Recovery Time (min):

Total Volume Removed (gal) / (L):

Pump Time (min):

Did Well Go Dry?:

Purge Again?:

(YES)

(NO)

(YES)

(NO)

Notes:

oily sheen



CABRERA SERVICES TEMPORARY WELL POINT AND SAMPLING RECORD
RADIOLOGICAL • ENVIRONMENT • REMEDIATION

Well ID / AOC: 6-MW-04

Date: 6-14-06

Well Location: EAST ROAD

Sample No: _____

Well / Site Description: GRAVEL LOT ON SIDE OF EAST ROAD.

Weather: CLOUDY 70'S

Well Construction Material: SCH 40 PVC Stick-Up (ft from ground surface to top of casing (TOC) FLUSH MOUNT

Well Interior Diameter (id) 4" Distance from TOC to Top of Riser (TOR): 6"

Well Interior radius (id/2) 2"

Well Depth (d; ft from TOC or (TOR) Circle one) 19.41

Static Water Level (w; ft from TOC or (TOR) Circle one) 9.81 Static Water Height (h = d - w; ft) 9.60 FT

Purging Method: LOW FLOW / 200 ML/min Purging Equipment: GEOPUMP / YSI

Static Water Volume (V = h(0.16) gal for 2" well; h(0.65) gal for 4" well; h(1.5) gal for 6" well: _____

Pump Rate (gpm) / (Lpm): 200 Lpm

Pump Time (min): 80

Volume Removed (gal) / (L): _____

Did Well Go Dry?: (YES) (NO)

Recovery Time (min): _____

Purge Again?: (YES) (NO)

Total Volume Removed (gal) / (L): _____

Notes:

Well ID: 6-MW-04

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units		[]	uS/cm3	degC	mV	NTU	mg/L	FT	mL/min
<u>14</u>										
<u>6-13-06</u>	<u>1420</u>	<u>-</u>	<u>6.23</u>	<u>1697</u>	<u>19.47</u>	<u>-28.0</u>	<u>278.0</u>	<u>1.45</u>	<u>9.81</u>	<u>200</u>
"	<u>1440</u>		<u>6.29</u>	<u>1700</u>	<u>19.23</u>	<u>-26.4</u>	<u>307.1</u>	<u>1.06</u>	<u>9.90</u>	<u>200</u>
"	<u>1500</u>		<u>6.35</u>	<u>1705</u>	<u>18.79</u>	<u>-21.6</u>	<u>63.4</u>	<u>0.69</u>	<u>9.91</u>	<u>200</u>
"	<u>1510</u>		<u>6.39</u>	<u>1698</u>	<u>18.49</u>	<u>-22.8</u>	<u>12.8</u>	<u>0.95</u>	<u>9.93</u>	<u>200</u>
"	<u>1520</u>		<u>6.40</u>	<u>1701</u>	<u>18.61</u>	<u>-20.9</u>	<u>9.1</u>	<u>0.92</u>	<u>9.91</u>	<u>200</u>
"	<u>1530</u>		<u>6.41</u>	<u>1697</u>	<u>18.64</u>	<u>-19.7</u>	<u>8.9</u>	<u>0.86</u>	<u>9.92</u>	<u>200</u>
"	<u>1540</u>		<u>6.41</u>	<u>1694</u>	<u>18.58</u>	<u>-18.8</u>	<u>9.3</u>	<u>0.71</u>	<u>9.90</u>	<u>200</u>
	<u>1540</u>	<u>COLLECT SAMPLE</u>								

DEPTH TO BOTTOM BEFORE PURGE 19.41 FT.

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: _____

1545

Sample Parameters: _____

Sample Collection Personnel: _____

DAVE KATZLEY

Well ID: 6-MW-05

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units		[]	µS/cm3	degC	mV	NTU	mg/L	FT	mL/min
6/15	0817		6.03	1.180	20.54	245	1212	8.34	10.85	250
	0832		6.35	1.170	20.63	252	338	7.87	10.91	225
	0840		7.17	1.169	19.31	102.5	3.2	0.52	10.90	175
	0845		7.25	1.173	19.25	75.9	3.6	0.47	10.90	175
	0850		7.30	1.173	19.28	62.4	3.0	0.44	10.90	175
	0855		7.34	1.175	19.32	53.1	3.7	0.46	10.90	175
	0900		7.38	1.178	19.35	46.6	2.3	0.55	10.90	175
	0905		7.40	1.179	19.44	42.6	2.8	0.66	10.90	150
	0910		7.41	1.178	19.41	41.1	3.4	0.76	10.90	150
	0915		7.43	1.178	19.49	40.3	2.2	0.82	10.90	150
6/15	0920		7.44	1.180	19.55	40.2	2.4	0.93	10.90	150

Sample ID: _____

Receiving Laboratory: _____

Sample Collection Time: _____

0925

Sample Parameters: _____

Sample Collection Personnel: _____

Carl J. J.

Page 1 of 1



CABRERA SERVICES TEMPORARY WELL POINT AND SAMPLING RECORD

RADIOLOGICAL • ENVIRONMENTAL • REMEDIATION

Well ID / AOC: G.M.W. - 45

Date: 06/15/06 08:15

Well Location: 003 AOC 6 EAST RD

Sample No: _____

Well / Site Description: FURNACE MOUNT N OF DITCH WEST OF BRIDGE

Weather: CLEAR WARM BUSTY

Well Construction Material: PVC 5-4-40 Stick-Up (ft from ground surface to top of casing (TOC) _____

Well Interior Diameter (id) 4 IN Distance from TOC to Top of Riser (TOR): _____

Well Interior radius (id/2) _____

Well Depth (d; ft from TOC or TOR - Circle one) _____

Static Water Level (w; ft from TOC or TOR - Circle one) _____ Static Water Height (h = d - w; ft) _____

Purging Method: _____ Purging Equipment: _____

Static Water Volume (V = h(0.16) gal for 2" well; h(0.65) gal for 4" well; h(1.5) gal for 6" well: _____

Pump Rate (gpm) / (Lpm): 175

Pump Time (min): _____

Volume Removed (gal) / (L): 4

Did Well Go Dry?: (YES) (NO)

Recovery Time (min): _____

Purge Again?: 2 (YES) (NO)

Total Volume Removed (gal) / (L): _____

Notes:

Well ID: 6-MW-06

FIELD SAMPLE PARAMETERS

[illegible]

DEPTH TO BOTTOM FROM TOR. = 19.04

Sample ID: _____

Receiving Laboratory:

Sample Collection Time:

0940

Sample Parameters:

Sample Collection Personnel:

DAVE KATELEY

2 of 2



CABRERA SERVICES TEMPORARY WELL POINT AND SAMPLING RECORD

PHYSIOLOGICAL • ENVIRONMENT • REMEDIATION

Well ID / AOC: 6-MW-06Date: 6-15-06Well Location: 003

Sample No: _____

Well / Site Description: GRAVEL PARKING LOT NORTH SIDE EAST ROADWeather: SUNNY, 80'sWell Construction Material: SCH 40 PVC Stick-Up (ft from ground surface to top of casing (TOC) FLUSH MOUNTWell Interior Diameter (id) 4" Distance from TOC to Top of Riser (TOR): 4"Well Interior radius (id/2) 2"Well Depth (d; ft from TOC or TOR - Circle one) 19.04Static Water Level (w; ft from TOC or TOR - Circle one) 9.21 Static Water Height (h = d - w; ft) 9.83 FTPurging Method: LOW FLOW Purging Equipment: GEOPUMP / YSF

Static Water Volume (V = h(0.16) gal for 2" well; h(0.65) gal for 4" well; h(1.5) gal for 6" well: _____

Pump Rate (gpm) / (Lpm): _____

Pump Time (min): _____

Volume Removed (gal) / (L): _____

Did Well Go Dry?: (YES) (NO)

Recovery Time (min): _____

Purge Again?: (YES) (NO)

Total Volume Removed (gal) / (L): _____

Notes:



CABRERA SERVICES TEMPORARY WELL POINT AND SAMPLING RECORD
PHYSIOLOGICAL - ENVIRONMENT - REMEDIATION

Well ID / AOC: 6-MW-07 AOC6

Date: 6-14-06

Well Location: 043

Sample No: _____

Well / Site Description: Flush mount near road "deep well"

Weather: cloudy and mild

Well Construction Material: sch 40 PVC Stick-Up (ft from ground surface to top of casing (TOC) ~.5

Well Interior Diameter (id) 4 Distance from TOC to Top of Riser (TOR): _____

Well Interior radius (id/2) 2

Well Depth (d; ft from TOC or TOR - Circle one) 49.0

Static Water Level (w; ft from TOC or TOR - Circle one) 11.95 Static Water Height (h = d - w; ft) _____

Purging Method: low flow Purging Equipment: GeoPump 2

Static Water Volume (V = h(0.16) gal for 2" well; h(0.65) gal for 4" well; h(1.5) gal for 6" well: _____

Pump Rate (gpm) / (Lpm): 300 Lpm

Pump Time (min): 76

Volume Removed (gal) / (L): _____

Did Well Go Dry?: (YES) (NO)

Recovery Time (min): _____

Purge Again?: (YES) (NO)

Total Volume Removed (gal) / (L): _____

Notes:

Well ID: 6-MW-07

FIELD SAMPLE PARAMETERS

Date	Time	Volume Removed	pH	SP Cond.	Temp.	ORP	Turb	DO	Depth to Water from TOC	Pump Rate
	Units	L	[]	uS/cm	degC	mV	NTU	mg/L	FT	mL/min
6-14-06	1735	0	—	—	—	—	—	—	11.95	0
6-14-06	1740	0	—	—	—	—	—	—	—	300
"	1500	6	7.20	1661	17.42	-52.1	12.6	0.99	12.00	300
	1510	9	7.02	1666	18.56	-36.7	9.4	0.11	12.00	300
	1515	10.5	6.99	1669	18.46	-33.3	11.8	0.24	12.00	300
	1525	12.5	6.99	1673	18.36	-30.9	13.8	0.29	12.00	300
	1530	15	6.98	1683	18.26	-27.4	10.8	0.28	12.00	300
	1535	16.5	6.98	1684	18.34	-26.7	10.8	0.28	12.00	300
	1540	18	6.97	1681	18.74	-25.4	10.0	0.28	12.00	300
	1545	19.5	6.98	1688	18.95	-22.9	10.0	0.29	12.00	300
	1548	20.4	6.98	1690	18.98	-22.8	9.9	0.30	12.00	300
	1551	21.3	6.9	1693	18.88	-22.1	8.7	0.29	12.00	300

collect sample

Sample ID: _____

Receiving Laboratory: ParagonSample Collection Time: 1551

Sample Parameters: _____

Sample Collection Personnel: Ken MartinPage 1 of 1

Hach Field Analysis Data Sheet

Total Sulfide (S²⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

[illegible][illegible][illegible][illegible]

mw 4
7/26/05
1400

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

MW6
8/2/05
1005

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Total Sulfide (S²⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

High Field Analysis Data Sheet

Total Sulfide (S^{2-}) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Sample Name MW9
Sample Date 8/3/05
Time Received 1125

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S²⁻) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Total Sulfide (S²⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

[illegible][illegible][illegible][illegible]

Sample Name
Sample Date
Time Received

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S²⁻) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

[illegible][illegible][illegible][illegible]

Sample Name MW/6
Sample Date 8/11/05
Time Received 1240

[illegible][illegible][illegible][illegible]

Sample Name MW17
Sample Date 8/10/05
Time Received 1400

[illegible][illegible][illegible][illegible]

Hach Field Analysis Data Sheet

Total Sulfide (S²⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Sample Name MW 19
Sample Date 8/25/05
Time Received 1000

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Total Sulfide (S²⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

[illegible][illegible][illegible][illegible]

Sample Name mw 22
Sample Date 8/11/05
Time Received 1320

[illegible][illegible][illegible][illegible]

Hach Field Analysis Data Sheet

[illegible][illegible][illegible][illegible]

mw 24
9/10/05
10/5

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

MW 26
8/9/05
1445

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S²⁻) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Sample Name MW-01
Sample Date 10/4/05
Time Received 1500

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Sample Name mw 02
Sample Date 10/13/05
Time Received 1100

mw 02

10/13/05

1100

[illegible][illegible][illegible][illegible]

MW-03
10/4/05
1315

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

mw 04
10/5/05
1325

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Sample Name MW 05
 Sample Date 10/5/05
 Time Received 1040

Iron, Ferrous (Fe²⁺) Analysis

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
1	1110	PHS		0.0	1.68 mg/L	

Total Sulfide (S²⁻) Analysis

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
1	1120	PHS		0.0	0.07	

Total Nitrite (NO₂) Analysis

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
1	1050			0.0	0.0	

HYDROGEN PEROXIDE

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
1	1058	PHS	—	—	23.2 mg/L	

PHS

Sample Name
Sample Date
Time Received

2-MW-06
10-06-05
1035

[illegible][illegible][illegible][illegible]

Sample Name
Sample Date
Time Received

0950

[illegible][illegible][illegible][illegible]

MW-8
10/10/05
1130

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

* 5 crops

Sample Name MW 69
Sample Date 10/5/03
Time Received 1455

[illegible][illegible][illegible][illegible]

Sample Name MW-10
Sample Date 10/10/05
Time Received 1130

[illegible][illegible][illegible][illegible]

+ 13 drops

Sample Name MW-11
Sample Date 10-06-05
Time Received 1400

[illegible][illegible][illegible][illegible]

MW-12
10-11-05
1130

Hoch Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

0940

[illegible]

Sample Name MW 14
Sample Date 10/13/05
Time Received 1130

[illegible][illegible][illegible][illegible]

mw15
1011305
1045

Hoch Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

MMW-16*
10/10/05
1415

* dark coffee colored

[illegible][illegible]

* LIMIT

[illegible][illegible]

* added
3 drops,
could not
observe any
color
change.

Sample Name MW 17
Sample Date 10/7/05
Time Received 1350

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Total Sulfide (S²⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Sample Name
Sample Date
Time Received

MN-19
 10-06-05
 1430

[illegible][illegible][illegible][illegible]

MW 20
10/13/05
1435

High Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

INDICATED THERAPY

[illegible]

mw 21A
10/7/05
0945

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Sample Name MW-22A
Sample Date 10-07-05
Time Received 1446

[illegible][illegible][illegible][illegible]

Sample Name MW-24A
Sample Date 10-10-05
Time Received 10:23

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

* 5 loops

Sample Name
Sample Date
Time Received

10-11-05

Time Received

1190

[illegible][illegible][illegible][illegible]

AW-#1
1-2-6
1000

[illegible][illegible][illegible][illegible]

Sample Name MW-2
Sample Date 1-23-2006
Time Received 1430

Sample Name
Sample Date
Time Received

MW-2

1-23-2006

1430

[illegible][illegible][illegible][illegible]

MW-3
1-24-2006
1440

Hoch Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO_2^-) Analysis

[illegible]

14-00000

[illegible]

Sample Name
Sample Date
Time Received

1-23-2006

1335

[illegible][illegible][illegible][illegible]

[illegible]

Sample Name MW-6
Sample Date 1-19-06
Time Received 1200

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Sample Name
Sample Date
Time Received

MW-87

61-19-06

1500

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Sample Name
Sample Date
Time Received

1-18-06

0930

K 3

① to 3.00 mg/L

[illegible]

0 to 0.350 mg/L

0 to 0.350 mg/L

[illegible]

0 to 0.70 mg/L

[illegible]

HYDROGEN PEROXIDE Low RANGE

[illegible]

* Number of drops times 0.2

Sample Name MW-9B
Sample Date 1-17-05
Time Received 1600

[illegible][illegible][illegible][illegible]

Hach Field Analysis Data Sheet

Sample Name
Sample Date
Time Received

1-17-06

1-17-06

1300

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hi Range

Lo Range

Hach Field Analysis Data Sheet

Sample Name
Sample Date
Time Received

MW-11B

1-17-06

1450

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

45 drops
Hi Range

Sample Name MW-12
Sample Date 1-23-2006
Time Received 1130

1.49

[illegible][illegible][illegible][illegible]

Sample Name
Sample Date
Time Received

1325

High Field Analytic Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

14-00000 14-00000

[illegible]

MW-14
1-25-06
0900

Wetland Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Hydrogen Peroxide

[illegible]

8. 02

HW-15

1-25-2006

0930

High Field Analysis Data Sheet

[illegible][illegible][illegible][illegible]

MW-16
1-20-04
0930

Track Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Highway Vehicle

[illegible]

30 drops, n
change)

nw-17

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis 0 to 3.00 mg/L

[illegible]

Total Sulfide (S^{2-}) Analysis 0 to 0.70 mg/L

[illegible]

Total Nitrite (NO₂) Analysis Low Range, 0 to 0.350 mg/L

[illegible]

HYDROGEN PEROXIDE Low Range

[illegible]

* Number of drops timer 0.2

Sample Name MW-18
Sample Date 1-18-06 KM
Time Received 1030

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe²⁺) Analysis 0 to 3.00 mg/L

[illegible]

Low Range

Total Nitrite (NO₂) Analysis 0 to 0.350 mg/L

[illegible]

Total Sulfide (S^{2-}) Analysis 0 to 0.70 mg/L

[illegible]

HYDROGEN PEROXIDE Low Range

[illegible]

* Number of drops times 0.2

MW-19
1-23-2006

Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

புத்தகம்

[illegible]

Introduction

[illegible]

High Field Analysis Data Sheet

Sample Name
Sample Date
Time Received

MM-20
1-20-06
1506

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hatch Field Analysis Data Sheet

Sample Name
Sample Date
Time Received

NW-21

1-19-06

1400

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO_2^-) Analysis

[illegible]

WÄSSEN PEROXIDE

[illegible]

Sample Name MW-22
Sample Date 1-19-06
Time Received 1455

Marsh Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Abstract

[illegible]

Pinch Field Analysis Data Sheet

Sample Name
Sample Date
Time Received

MW-23B

1-20-06

1422

Iron, Ferrous (Fe²⁺) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Hydrogen Peroxide

[illegible]

1-20-02

Marsh Field Analysis Data Sheet

Iron, Ferrous (Fe²⁺) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂⁻) Analysis

[illegible]

14-00000 Ref: 1000

[illegible]

Sample Name
Sample Date
Time Received

4W-25

1-24-2006

1150

Match Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO_2^-) Analysis

[illegible]

Harold Alexander Perkins

[illegible]

Sample Name MW-26*
Sample Date 1-24-2006
Time Received 0810

* coffee-colored.

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S²⁻) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Historical Period

Q. 8

[illegible]

Sample Name 317 MOLA
Sample Date 1-26-06
Time Received 1400

Each Field Analyze Data Once

Iron, Ferrous (Fe²⁺) Analysis

[illegible]

Total Sulfide (S²⁻) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Hydrogen Peroxide

[illegible]

6-MW-01
01-25-06
1215

High Field Analysis Data Sheet

Iron, Ferrous (Fe²⁺) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Abstract

[illegible]

6-MW-02
1-25-2006
1430

Hatch Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Abstract

[illegible]

6-MW-p3
1-26-06
1300

High Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

Wichtige Periode

[illegible]

High Field Analysis Data Sheet

[illegible][illegible][illegible][illegible]

Hach Field Analysis Data Sheet

Sample Name NW-2
Sample Date 5/4/06
Time Received 0900

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

MW-3
5/4/06
1510

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hoch Field Analysis Data Sheet

Time Received

1230

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO_2^-) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Sample Name
Sample Date
Time Received

514106

514106

1045

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

High Field Analysis Data Sheet

Sample Name
Sample Date
Time Received

4/27/06

1600

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

7:54

[illegible]

MW-7
4-28-06
1320

High Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Sample Name MW-8
Sample Date 4-28-06
Time Received 0935

[illegible][illegible][illegible][illegible]

MW-9
4/27/06
1510

Hach Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO_2^-) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

7:35
(6 drops)

Sample Name MW-10
Sample Date 4-28-06
Time Received 1125

[illegible][illegible][illegible][illegible]

Hach Field Analysis Data Sheet

Sample Name MW-1
 Sample Date 4/27/06
 Time Received 1430

Iron, Ferrous (Fe^{2+}) Analysis

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
	1435	RA		0.00	0.07	

Total Sulfide (S^{2-}) Analysis

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
	1445	RA		0.00	0.80	

Total Nitrite (NO_2^-) Analysis

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
	1455	RA		0.000	0.003	

0.40

HYDROGEN PEROXIDE

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
	1455	RA			35 drops - No appreciable color change	

35 drops - No appreciable color change

Hach Field Analysis Data Sheet

Sample Name MW-12
Sample Date 5/3/06
Time Received 1550

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analyze Data Sheet

[illegible][illegible][illegible][illegible]

7:50

sight color
Ganges

MW-14

High Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

f: 50

Hach Field Analysis Data Sheet

Sample Name NW-15
Sample Date 5/5/06
Time Received 1400

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO_2^-) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Sample Name
Sample Date
Time Received

MW-16

51106

1500

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO_2^-) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Sample Name	MW-17
Sample Date	5/1/06
Time Received	0940

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

High Field Analysis Data Sheet

Sample Name MW-18
Sample Date 5/1/06
Time Received 0940

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S²⁻) Analysis

[illegible]

Total Nitrite (NO_2^-) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

High Field Analysis Data Sheet

Sample Name MW-17
Sample Date 5/1/06
Time Received 0940

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S²⁻) Analysis

[illegible]

Total Nitrate (NO₃) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

High Field Analysis Data Sheet

Sample Name
Sample Date
Time Received

MM-19

5/4/06

1045

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Sample Name MW - 20A
Sample Date 5/3/06
Time Received 1558

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Sample Name MW-21A
Sample Date 5/1/06
Time Received 1200

[illegible]

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
cannot do - not enough reagent do 5/11/06						

[illegible][illegible]

Sample Name
Sample Date
Time Received

Sample Name
Sample Date
Time Received

4-28-66

1502

[illegible][illegible][illegible][illegible]

Hach Field Analysis Data Sheet

Sample Name NW-23B
Sample Date 5/3/06
Time Received 1430

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO_2^-) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Sample Name MW-24
Sample Date 5/1/06
Time Received 1305

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hoch Field Analysis Data Sheet

Sample Name NW-25C
Sample Date 5/3/06
Time Received 1230

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Sample Name MW-26A
Sample Date 5/1/06
Time Received 1540

[illegible]

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
cannot do - not enough reagent 5/11/00						

[illegible][illegible]

Sample Name
Sample Date
Time Received

4-mw-01

6-13-06

1400

Hatch Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

mg/L

[illegible]

Total Sulfide (S^{2-}) Analysis

mg/L

[illegible]

Total Nitrite (NO₂) Analysis

mg/c

[illegible]

Hydrogen Peroxide

mg/L

[illegible]

Sample Name 4-MW-02
Sample Date 6-12-06
Time Received ~~1500~~ 1500

High Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

 mg/L [illegible]

Total Sulfide (S²⁻) Analysis

my / L

[illegible]

Total Nitrite (NO₂) Analysis

mg/L

[illegible]

HYPERGEN Peroxide

mg/L

[illegible]

Sample Name 4-NW-05
Sample Date 6-13-06
Time Received 1330

[illegible][illegible][illegible][illegible]

4-MW-06
6-12-06
1500

Hoch Field Analysis Data Sheet

mag/i

[illegible]

may / i

[illegible]

ms/C

[illegible]

mg/L

[illegible]

Sample Name 4-MW-07
Sample Date 10-13-06
Time Received 1115

[illegible][illegible][illegible][illegible]

Hatch Field Analysis Data Sheet

Sample Name
Sample Date
Time Received

H-17-M02B

E-13-06

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Sample Name I17M01A
Sample Date 5/5/06
Time Received 1300

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Sample Name 6-MW-01
Sample Date 5/5/06
Time Received 0945

[illegible][illegible][illegible][illegible]

6:04

Hach Field Analysis Data Sheet

Time Received

1300

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂⁻) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Hach Field Analysis Data Sheet

Sample Name C-MW-03
 Sample Date 5/5/06
 Time Received 0958

Iron, Ferrous (Fe^{2+}) Analysis

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
1	0905	KA		0.00	330	(Limit)

Total Sulfide (S^{2-}) Analysis

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
1	0916	KA		0.00	0.00	

Total Nitrite (NO_2^-) Analysis

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
1	0934	KA		0.000	0.000	

HYDROGEN PEROXIDE

Run No.	Time of Analysis	Initials of Analyzer	Dilution Factor	Blank Result	Sample Result	Final Result
	0927	KA			0.4	(2 Drops)

7:20

High Field Analysis Data Sheet

Sample Name 6-MW-04
Sample Date 6-14-06
Time Received 1555

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Sample Name 6-MW-05
Sample Date 6-15-06
Time Received 1020

[illegible][illegible][illegible][illegible]

6-MW-06
6-15-06
1020

High Field Analysis Data Sheet

Iron, Ferrous (Fe^{2+}) Analysis

[illegible]

Total Sulfide (S^{2-}) Analysis

[illegible]

Total Nitrite (NO₂) Analysis

[illegible]

HYDROGEN PEROXIDE

[illegible]

Sample Name 6-MW-07
Sample Date 6-14-06
Time Received 1555

[illegible][illegible][illegible][illegible]