



HORIZONTAL REFERENCE - NAD 83, DELAWARE STATE PLANE, ZONE 0700, U.S. FOOT.

VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.63' BELOW N.A.V.D. 88.

GEOID 12B AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED. SOUNDINGS ARE EXPRESSED IN FEET AND TENTHS AND REFER TO MEAN LOWER LOW WATER.

CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.

CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN SEARCH RADIUS OF 8'.

THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.

THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN ALSO BE DOWNLOADED HERE:

http://navigation.usace.army.mil/Survey/Framework

BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATA SET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

Scale in Feet

100 0 100 200 300

Shoalest Sounding

6 ' Curve of Depth

CenterLine

ToeLine

StationLine

US Army Corps of Engineers
Philadelphia District

STA. 0+000 to STA. 10+484 -- 26 & 29 FEB 24

U.S. ARMY CORPS OF ENGINEERS
PHILADELPHIA DISTRICT

Surveyed By:

Plotted By: E. Anthony

Checked By:

Drawing No:

Plot Scale

Approved:

Chief, Survey Section

INLAND WATERWAY

BROADKILL RIVER TO ROOSEVELT INLET

LEWES AND REHOBOTH CANAL, DELAWARE

E-LR-05





HORIZONTAL REFERENCE - NAD 83, DELAWARE STATE PLANE, ZONE 0700, U.S. FOOT.

VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.63' BELOW N.A.V.D. 88.

GEOID 12B AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED. SOUNDINGS ARE EXPRESSED IN FEET AND TENTHS AND REFER TO MEAN LOWER LOW WATER.

CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.

CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN SEARCH RADIUS OF 8'.

THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.

THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN ALSO BE DOWNLOADED HERE:

http://navigation.usace.army.mil/Survey/Framework

BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATA SET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

Scale in Feet

100 0 100 200 300

Shoalest Sounding

6 ' Curve of Depth

CenterLine

ToeLine

StationLine

US Army Corps of Engineers
Philadelphia District

STA. 0+000 to STA. 10+484 -- 26 & 29 FEB 24

DISCLAIMER
This data is provided for general information only. It is not intended for use as a navigation aid. NOAA publishes the official navigation charts to be used in US waters by mariners. Any navigational use of this data by others than the Corps of Engineers constitutes misuse of the data. At best, hydrographic surveys are accurate only at the time they are measured and only within the tolerances of the survey equipment, computers, printers, and other tools and equipment used to produce and print them. Wind, waves, currents, and other maritime effects are constantly changing the topography of the waters of the United States. Survey equipment and computer plotting software have inherent inaccuracies, and printers and displays can also create inaccuracies.

The materials are provided "as is." The government makes no representations or warranties about the qualityor suitability of the materials, expressed or implied, including but not limited to any implied warranties of merchantability, fitness for a particular purpose, or non-infringement. The government makes no warranties, guaranties or representations as to the truth, accuracy, or completeness of the data provided.

The government disclaims any liability for the use of this data by others and the government shall not be liable for any damages suffered as a result of using, modifying, contributing, or distributing this information.

U.S. ARMY CORPS OF ENGINEERS
PHILADELPHIA DISTRICT

Surveyed By:

Plotted By: E. Anthony

Checked By:

Drawing No

Plot Scale

Approved: ____________
Chief, Survey Section

INLAND WATERWAY
BROADKILL RIVER TO ROOSEVELT INLET
LEWES AND REHOBOTH CANAL, DELAWARE

E-LR-05

US Army Corps of Engineers
Philadelphia District

STA. 0+000 to STA. 10+484 -- 26 & 29 FEB 24



HORIZONTAL REFERENCE - NAD 83, DELAWARE STATE PLANE, ZONE 0700, U.S. FOOT.

VERTICAL REFERENCE – MEAN LOWER LOW WATER, WHICH IS 2.63' BELOW N.A.V.D. 88.

GEOID 12B AND NOAA TIDAL EPOCH: 1983 – 2001 WERE USED. SOUNDINGS ARE EXPRESSED IN FEET AND TENTHS AND REFER TO MEAN LOWER LOW WATER.

CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.

CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN SEARCH RADIUS OF 8'.

THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.

THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN ALSO BE DOWNLOADED HERE:

http://navigation.usace.army.mil/Survey/Framework

BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES.
TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATA SET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.

Scale in Feet

100 0 100 200 300

- Shoalest Sounding
- 6 ' Curve of Depth
- CenterLine
- ToeLine
- StationLine

U.S. ARMY CORPS OF ENGINEERS
PHILADELPHIA DISTRICT

Surveyed By:
Plotted By: E. Anthony
Checked By:
Drawing No.
Plot Scale
Approved: Chief, Survey Section

INLAND WATERWAY
BROADKILL RIVER TO ROOSEVELT INLET
LEWES AND REHOBOTH CANAL, DELAWARE

E-LR-05