


1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.
2. HORIZONTAL REFERENCE - NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S. FOOT.
3. VERTICAL REFERENCE - MEAN LOWER LOW WATER, WHICH IS 3.41' BELOW N.A.V.D. 88.
4. GEOID 12B AND NOAA TIDAL EPOCH: 1983 - 2001 WERE USED. SOUNDINGS ARE EXPRESSED IN FEET AND TENTHS AND REFER TO MEAN LOWER LOW WATER.

5. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN SEARCH RADIUS OF 18'.
6. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

8. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.
9. THE LIMITS OF THE FEDERAL CHANNEL
DEPICT THE MOST CURRENT CHANNEL
FRAMEWORK AVAILABLE WHICH CAN ALSO BE DOWNLOADED HERE:
<http://navigation.usace.army.mil/Survey/Framework>
10. BASE MAPPING LINEWORK OR ORTHOPHOTOGRAPHY HAS BEEN

- A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATA SET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.



- Shoalest Sounding per Quarter
- 7 ' Curve of Depth
- 8 ' Curve of Depth
- - - CenterLine
- ToeLine
- - - QuarterLine
- StationLine

STA. 32+400 (upriver) to 48+000 (upriver) --	08 MAR 23	STA. 4+000 (approach) to 5+528 (approach) --	07 DEC 23
STA. 12+800 (upriver) to 32+200 (upriver) --	07 MAR 23	STA. 5+528 (approach) to 8+000 (approach) --	22 NOV 23
STA. 0+000 (approach) to 12+800 (upriver) --	06 MAR 23	STA. 8+000 (approach) to 10+000 (approach) --	07 NOV 22
STA. 0+000 (approach) to 2+300 (approach) --	08 NOV 22	STA. 10+000 (approach) to 15+528 (approach) --	02 NOV 22
STA. 2+300 (approach) to 4+000 (approach) --	20 DEC 23		

[illegible]

Drawing No:	Plotted By:
Plot Scale:	E. Anthony
Approved:	Checked By:
	Chief, Surveys Section

Maurice River, NJ
Examination

E-MA-05



- Shoalest Sounding per Quarter
- 7' Curve of Depth
- 8' Curve of Depth
- - - CenterLine
- ToeLine
- - - QuarterLine
- StationLine