

STA. 405+043 to STA. 410+000 -- 11 MAR 25
 STA. 410+000 to STA. 420+000 -- 19 MAR 25
 STA. 420+000 to STA. 430+000 -- 25 MAR 25
 STA. 430+000 to STA. 436+000 -- 10 FEB 25
 STA. 436+000 to STA. 442+000 -- 22 APR 25
 STA. 442+000 to STA. 447+734 -- 23 APR 25

DISCLAIMER: This map is for general information only. It is not intended for use as a navigational aid. A user of this map assumes all responsibility for the accuracy of the information. The Corps of Engineers does not warrant the accuracy or completeness of the data provided. The government disclaims any liability for the use of the information contained herein, and shall not be held liable for any damages suffered as a result of using, copying, or distributing this information.

Submitted:	Surveyed by:
Recommended:	Plotted by:
Approved:	Checked by:
	Chief, Survey Section


DELAWARE RIVER, PHILADELPHIA TO THE SEA
 EXAMINATION
 MIAH MAUL RANGE
 STA. 405+043.11 to STA. 447+734.15




1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.
2. HORIZONTAL REFERENCE - NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S. FOOT.
3. VERTICAL REFERENCE - MEAN LOWER LOW WATER, WHICH IS 3.16' BELOW N.A.V.D. 88.
4. GEOID 12B AND NOAA TIDAL EPOCH: 1983 - 2001 WERE USED. SOUNDINGS ARE EXPRESSED IN FEET AND TENTHS AND REFER TO MEAN LOWER LOW WATER.
5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL SHIFTED TO THE CELL CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.
7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 15'X15' CELL.
8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.
9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.
11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN ALSO BE DOWNLOADED HERE:
<http://navigation.usace.army.mil/Survey/Framework>
12. BASE MAPPING LINWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATA SET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.



- Shoalest Sounding
- CenterLine
- ToeLine
- QuarterLine
- StationLine
- 45 - 53.953
- 44 - 45
- 43 - 44
- 42 - 43
- 41 - 42
- 40 - 41
- 26.9 - 40



STA. 405+043 to STA. 410+000 -- 11 MAR 25
 STA. 410+000 to STA. 420+000 -- 19 MAR 25
 STA. 420+000 to STA. 430+000 -- 25 MAR 25
 STA. 430+000 to STA. 436+000 -- 10 FEB 25
 STA. 436+000 to STA. 442+000 -- 22 APR 25
 STA. 442+000 to STA. 447+734 -- 23 APR 25

DISCLAIMER
 This document is intended for general information only. It is not intended for use as a navigational aid. A user of this document is advised to consult the current edition of the Corps of Engineers Hydrographic Survey Manual (EM 1110-2-1003) for the most current information. The government disclaims any liability for the use of the information contained herein, and the user assumes all responsibility for any damage or loss resulting from the use of this information.

Submitted By	Surveyed By
Recommended By	Checked By
Approved	Chief, Survey Section


DELAWARE RIVER, PHILADELPHIA TO THE SEA
 EXAMINATION
 MIAH MAUL RANGE
 STA. 405+043.11 to STA. 447+734.15




1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.
2. HORIZONTAL REFERENCE - NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S. FOOT.
3. VERTICAL REFERENCE - MEAN LOWER LOW WATER, WHICH IS 3.16' BELOW N.A.V.D. 88.
4. GEOID 12B AND NOAA TIDAL EPOCH: 1983 - 2001 WERE USED. SOUNDINGS ARE EXPRESSED IN FEET AND TENTHS AND REFER TO MEAN LOWER LOW WATER.
5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL SHIFTED TO THE CELL CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.
7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 15'X15' CELL.
8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.
9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.
11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN ALSO BE DOWNLOADED HERE:
<http://navigation.usace.army.mil/Survey/Framework>
12. BASE MAPPING LINWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATA SET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.



- Shoalest Sounding
- CenterLine
- ToeLine
- QuarterLine
- StationLine
- 45 - 53.953
- 44 - 45
- 43 - 44
- 42 - 43
- 41 - 42
- 40 - 41
- 26.9 - 40



STA. 405+043 to STA. 410+000 -- 11 MAR 25
 STA. 410+000 to STA. 420+000 -- 19 MAR 25
 STA. 420+000 to STA. 430+000 -- 25 MAR 25
 STA. 430+000 to STA. 436+000 -- 10 FEB 25
 STA. 436+000 to STA. 442+000 -- 22 APR 25
 STA. 442+000 to STA. 447+734 -- 23 APR 25

DISCLAIMER: The government disclaims any liability for the use of the information contained herein. The government is not responsible for any errors or omissions in this document. The government is not responsible for any damages or losses resulting from the use of this information. The government is not responsible for any inaccuracies or misstatements in this document. The government is not responsible for any changes or updates to this document. The government is not responsible for any copyright or trademark issues. The government is not responsible for any other legal issues. The government is not responsible for any other matters.

U.S. ARMY CORPS OF ENGINEERS PHILADELPHIA DISTRICT	
Submitted:	Surveyed By:
Recommended:	Plotted By:
Approved:	Checked By:
	Chief, Survey Section


DELAWARE RIVER, PHILADELPHIA TO THE SEA
EXAMINATION
 MIAH MAUL RANGE
 STA. 405+043.11 to STA. 447+734.15




1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.
2. HORIZONTAL REFERENCE - NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S. FOOT.
3. VERTICAL REFERENCE - MEAN LOWER LOW WATER, WHICH IS 3.16' BELOW N.A.V.D. 88.
4. GEOID 12B AND NOAA TIDAL EPOCH: 1983 - 2001 WERE USED. SOUNDINGS ARE EXPRESSED IN FEET AND TENTHS AND REFER TO MEAN LOWER LOW WATER.
5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL SHIFTED TO THE CELL CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.
7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 15'X15' CELL.
8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.
9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.
11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN ALSO BE DOWNLOADED HERE:
<http://navigation.usace.army.mil/Survey/Framework>
12. BASE MAPPING LINENWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATA SET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.



- Shoalest Sounding
- CenterLine
- ToeLine
- QuarterLine
- StationLine
- 45 - 53.953
- 44 - 45
- 43 - 44
- 42 - 43
- 41 - 42
- 40 - 41
- 26.9 - 40



STA. 405+043 to STA. 410+000 -- 11 MAR 25
 STA. 410+000 to STA. 420+000 -- 19 MAR 25
 STA. 420+000 to STA. 430+000 -- 25 MAR 25
 STA. 430+000 to STA. 436+000 -- 10 FEB 25
 STA. 436+000 to STA. 442+000 -- 22 APR 25
 STA. 442+000 to STA. 447+734 -- 23 APR 25

THE INFORMATION ON THIS MAP IS THE PROPERTY OF THE U.S. ARMY CORPS OF ENGINEERS AND IS LOANED TO YOU FOR YOUR INFORMATION ONLY. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF THE U.S. ARMY CORPS OF ENGINEERS. THE GOVERNMENT ASSUMES NO LIABILITY FOR THE USE OF THE INFORMATION ON THIS MAP FOR ANY PURPOSES OTHER THAN THAT FOR WHICH IT WAS ORIGINALLY INTENDED. THE GOVERNMENT ASSUMES NO LIABILITY FOR ANY DAMAGE TO PERSONS OR PROPERTY THAT MAY OCCUR AS A RESULT OF USING THIS MAP.

U.S. ARMY CORPS OF ENGINEERS PHILADELPHIA DISTRICT	
Submitted:	Surveyed by:
Recommended:	Plotted by:
Approved:	E. Anthony
Chief, Survey Section	Checked by:


DELAWARE RIVER, PHILADELPHIA TO THE SEA
EXAMINATION
MAH MAUL RANGE
 STA. 405+043.11 to STA. 447+734.15



- THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.
- HORIZONTAL REFERENCE - NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S. FOOT.
- VERTICAL REFERENCE - MEAN LOWER LOW WATER, WHICH IS 3.16' BELOW N.A.V.D. 88.
- GEOID 12B AND NOAA TIDAL EPOCH: 1983 - 2001 WERE USED. SOUNDINGS ARE EXPRESSED IN FEET AND TENTHS AND REFER TO MEAN LOWER LOW WATER.
- SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL SHIFTED TO THE CELL CENTER.


- CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.
- CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 15'X15' CELL.
- HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.
- THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

- THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN ALSO BE DOWNLOADED HERE:
<http://navigation.usace.army.mil/Survey/Framework>
- BASE MAPPING LINWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATA SET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.



- Shoalest Sounding
- CenterLine
- ToeLine
- QuarterLine
- StationLine
- 45 - 53.953
- 44 - 45
- 43 - 44
- 42 - 43
- 41 - 42
- 40 - 41
- 26.9 - 40

E-PS-355



STA. 405+043 to STA. 410+000 -- 11 MAR 25
 STA. 410+000 to STA. 420+000 -- 19 MAR 25
 STA. 420+000 to STA. 430+000 -- 25 MAR 25
 STA. 430+000 to STA. 436+000 -- 10 FEB 25
 STA. 436+000 to STA. 442+000 -- 22 APR 25
 STA. 442+000 to STA. 447+734 -- 23 APR 25

DISCLAIMER: This map is a general representation of the data collected during the survey. It is not intended for use as a navigational aid. The user of this map assumes all responsibility for its use. The government disclaims any liability for the use of this map. The government disclaims any liability for the use of this map. The government disclaims any liability for the use of this map.

Submitted:	Surveyed by:
Recommended:	U.S. ARMY CORPS OF ENGINEERS PHILADELPHIA DISTRICT
Approved:	Plotted by:
Chief, Survey Section	E. Anthony
	Checked by:

DELAWARE RIVER, PHILADELPHIA TO THE SEA
 EXAMINATION
 MIAH MAUL RANGE
 STA. 405+043.11 to STA. 447+734.15


E-PS-355




1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.
2. HORIZONTAL REFERENCE - NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S. FOOT.
3. VERTICAL REFERENCE - MEAN LOWER LOW WATER, WHICH IS 3.16' BELOW N.A.V.D. 88.
4. GEOID 12B AND NOAA TIDAL EPOCH: 1983 - 2001 WERE USED. SOUNDINGS ARE EXPRESSED IN FEET AND TENTHS AND REFER TO MEAN LOWER LOW WATER.
5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL SHIFTED TO THE CELL CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.
7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 15'X15' CELL.
8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.
9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.
11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN ALSO BE DOWNLOADED HERE:
<http://navigation.usace.army.mil/Survey/Framework>
12. BASE MAPPING LINWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATA SET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.



- Shoalest Sounding
- CenterLine
- ToeLine
- QuarterLine
- StationLine
- 45 - 53.953
- 44 - 45
- 43 - 44
- 42 - 43
- 41 - 42
- 40 - 41
- 26.9 - 40



STA. 405+043 to STA. 410+000 -- 11 MAR 25
 STA. 410+000 to STA. 420+000 -- 19 MAR 25
 STA. 420+000 to STA. 430+000 -- 25 MAR 25
 STA. 430+000 to STA. 436+000 -- 10 FEB 25
 STA. 436+000 to STA. 442+000 -- 22 APR 25
 STA. 442+000 to STA. 447+734 -- 23 APR 25

THE USER OF THIS PRODUCT FOR GENERAL INFORMATION ONLY. IT IS NOT INTENDED FOR USE AS A BASIS FOR DESIGN OR CONSTRUCTION. THE USER SHALL BE RESPONSIBLE FOR OBTAINING NECESSARY PERMITS AND AUTHORIZATIONS FROM THE APPROPRIATE AGENCIES. THE USER SHALL BE RESPONSIBLE FOR OBTAINING NECESSARY PERMITS AND AUTHORIZATIONS FROM THE APPROPRIATE AGENCIES. THE USER SHALL BE RESPONSIBLE FOR OBTAINING NECESSARY PERMITS AND AUTHORIZATIONS FROM THE APPROPRIATE AGENCIES.

U.S. ARMY CORPS OF ENGINEERS PHILADELPHIA DISTRICT	
Submitted By	Surveyed By
Recommended By	Plotted By E. Anthony
Approved	Checked By


DELAWARE RIVER, PHILADELPHIA TO THE SEA
EXAMINATION
MIAH MAUL RANGE
 STA. 405+043.11 to STA. 447+734.15



1. THIS SURVEY MEETS STANDARDS AS OUTLINED IN CORPS OF ENGINEERS' HYDROGRAPHIC SURVEY MANUAL EM1110-2-1003, DATED NOVEMBER 30, 2013 FOR NAVIGATION AND DREDGING SUPPORT SURVEYS.
2. HORIZONTAL REFERENCE - NAD 83, NEW JERSEY STATE PLANE, ZONE 2900, U.S. FOOT.
3. VERTICAL REFERENCE - MEAN LOWER LOW WATER, WHICH IS 3.16' BELOW N.A.V.D. 88.
4. GEOID 12B AND NOAA TIDAL EPOCH: 1983 - 2001 WERE USED. SOUNDINGS ARE EXPRESSED IN FEET AND TENTHS AND REFER TO LOWER LOW WATER.
5. SOUNDINGS WERE SELECTED FOR PLOTTING PURPOSES ONLY, USING THE MINIMUM DEPTH WITHIN A 30'X30' CELL SHIFTED TO THE CELL CENTER.

6. CONTOURS DEPICT ACTUAL LOCATION OF BATHYMETRY AND DO NOT NECESSARILY REFLECT PLOTTED SOUNDING LOCATIONS.
7. CONTOURS WERE GENERATED USING THE MINIMUM DEPTH WITHIN A 15'X15' CELL.
8. HYPACK, INC. SOFTWARE WAS USED TO PERFORM THE SOUNDING SELECTION AND CONTOUR GENERATION.
9. THE INFORMATION DEPICTED ON THIS MAP REPRESENT THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME.

10. THE POSITIONS OF THE AIDS TO NAVIGATION ARE PROVIDED FOR INFORMATION ONLY, AND SHOULD NOT BE USED FOR NAVIGATION.
11. THE LIMITS OF THE FEDERAL CHANNEL DEPICT THE MOST CURRENT CHANNEL FRAMEWORK AVAILABLE WHICH CAN ALSO BE DOWNLOADED HERE:
<http://navigation.usace.army.mil/Survey/Framework>
12. BASE MAPPING LINWORK OR ORTHOPHOTOGRAPHY HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND DATES AND IS INTENDED TO PORTRAY GENERAL CHARACTERISTICS OF THE SHORELINE AND OTHER FEATURES. TEMPORAL CHANGES MAY HAVE OCCURRED SINCE THIS DATA SET WAS COLLECTED AND SOME PARTS OF THE DATA MAY NO LONGER BE AN ACCURATE REPRESENTATION OF THE SURFACE CONDITIONS.



- Shoalest Sounding
- CenterLine
- ToeLine
- QuarterLine
- StationLine
- 45 - 53.953
- 44 - 45
- 43 - 44
- 42 - 43
- 41 - 42
- 40 - 41
- 26.9 - 40

E-PS-355