



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY

PHILADELPHIA DISTRICT CORPS OF ENGINEERS
WANAMAKER BUILDING, 100 PENN SQUARE EAST
PHILADELPHIA, PENNSYLVANIA 19107-3390

OCT 04 2017

Regulatory Branch
Application Section II

SUBJECT: CENAP-OP-R-2016-1068 (SWANCC-JD)
Project Name: TRANSCONTINENTAL GAS PIPELINE NORTHEAST SUPPLY
ENHANCEMENT COMPRESSOR STATION 200
Latitude and Longitude: 40.049151° and -75.586023°

Ms. Karen Olson
Williams Transcontinental Gas Pipeline
2800 Post Oak Boulevard
Houston, Texas 77056

Dear Ms. Olson:

The plans identified on the following page depict the extent of Federal jurisdiction on the subject property. The basis of our determination of jurisdiction is also provided (Enclosure 1).

Pursuant to Section 10 of the Rivers and Harbors Act and Section 404 of the Clean Water Act, a Department of the Army permit is required for work or structures in navigable waters of the United States and the discharge of dredged or fill material into waters of the United States including adjacent and isolated wetlands. Any proposal to perform the above activities within the area of Federal jurisdiction requires the prior approval of this office.

This delineation/determination has been conducted to identify the limits of the Corps Clean Water Act jurisdiction for the particular site identified in this request. This delineation/determination may not be valid for the wetland conservation provisions of the Food Security Act of 1985, as amended. If you or your tenant are U.S. Department of Agriculture (USDA) program participants, or anticipate participating in USDA programs, you should request a certified wetland determination from the local office of the Natural Resources Conservation Service prior to starting work.

This letter is valid for a period of five (5) years. However, this jurisdictional determination is issued in accordance with current Federal regulations and is based upon the existing site conditions and information provided by you in your application. This office reserves the right to reevaluate and modify the jurisdictional determination at any time should the existing site conditions or Federal regulations change, or should the information provided by you prove to be false, incomplete or inaccurate.

This letter contains an approved jurisdictional determination for your subject site. If you object to this determination, you may request an administrative appeal under Corps regulations at 33 CFR 331. Enclosed you will find a combined Notification of Appeal Process (NAP) fact

sheet and Request for Appeal (RFA) form (Enclosure 2). If you request to appeal this determination, you must submit a completed RFA form to the North Atlantic Division Office at the following address:

Mr. James Haggerty
Acting Regulatory Program Manager
North Atlantic Division, Corps of Engineers Fort Hamilton Military
Community Bldg. 301, General Lee Avenue Brooklyn, NY 11252-6700
Telephone: (347) 370-4650
Email: James.W.Haggerty@usace.army.mil

In order for an RFA to be accepted by the Corps, the Corps must determine that it is complete, that it meets the criteria for appeal under 33 CFR Part 331.5, and that it has been received by the Division Office within 60 days of the date of the NAP. Should you decide to submit an RFA form, it must be received at the above address by DEC 04 2017

It is not necessary to submit an RFA form to the Division Office if you do not object to the determination in this letter.

Based upon information you have provided and site inspections as described below, it should be noted that there are waters/wetlands on the site, as depicted on the plan described below, that are not regulated by the U.S. Army Corps of Engineers. However, these waters/wetlands may be regulated by State, county, and/or local agencies. It is recommended that you contact the PADEP, SE Regional Office (Norristown, PA), the Chester County County Conservation District, and your local municipality to determine if the waters/wetlands on the subject property are regulated by these agencies.

If you should have any questions regarding this matter, please contact me at 215-656-6731 or write to the above address.

Sincerely,



David J. Caplan
Senior Staff Biologist

SUBJECT PROPERTY: 5.61 acre study area as depicted on the attached plan and located at the Compressor Station 200, just west of Bacton Hill Road, approximately 0.2 miles south of its intersection with Old Valley Road, in East Whiteland Township, Chester County, Pennsylvania.

SURVEY DESCRIPTION: Plan prepared by Williams Gas Pipeline and entitled "Transcontinental Gas Pipeline Corporation, Draft Wetland Plan – CS 200 Property Northeast Supply Enhancement Project, East Whiteland Township, Chester County, Pennsylvania," dated 4-21-17, Drawing Number Main –A_1722_22_CS_200, Sheet 1 of 1, last revised 6-23-17.

COMMENTS: Site inspections by personnel of this office on 1/20/17 and 6/12/17.

Enclosures

Copies Furnished:

PADEP, Southeastern Regional Office (Oseredzuk)

Chester County Conservation District

Mr. Jeff Mason, Chief Environmental Scientist, Ecology & Environment, Inc., 368 Pleasant

View Dr., Lancaster, N.Y. 14086

CENAD-OP-R (Haggerty)