



DELAWARE  
2021 NATIONWIDE PERMIT REGIONAL CONDITIONS

US Army Corps  
of Engineers  
Philadelphia District

\*\*\*\*\*  
**On January 13, 2021, the U.S. Army Corps of Engineers published a final rule in the Federal Register (86 FR 2744) announcing the reissuance of 12 existing nationwide permits (NWP) and issuance of four new NWP, as well as the reissuance of NWP general conditions and definitions with some modifications. The NWP in this rule along with these Regional Conditions replace prior versions of the 2017 Nationwide Permits. The remaining 40 NWP from 2017, 2017 General Conditions, and the 2017 Delaware Regional Conditions applicable to those 40 NWP will remain in effect through their scheduled March 18, 2022, expiration date, unless otherwise modified through the Public Review Process.**  
\*\*\*\*\*

These Regional Conditions are applicable to waters of the United States within the geographic boundaries of the State of Delaware and in waters of the United States near and including the Chesapeake and Delaware Canal in Maryland. These areas in Maryland include Back Creek (of the Chesapeake and Delaware Canal), east of a line extending from Welch Point to Courthouse Point to the Delaware line and to the Second Street Bridge to the south; Herring Creek east of the line extending from Welch Point to Courthouse Point to the dam that crosses Herring Creek; and Long Branch to the Boat Yard Road Bridge to the north, including adjacent and contiguous jurisdictional wetlands to these tidal waterways. All Nationwide permit (NWP) verifications shall be made in accordance with the below listed regional conditions and all subparts, unless otherwise authorized by the district engineer through the preconstruction notification process.

**REGIONAL GENERAL CONDITION – 1 (G-1)**

**This regional condition is applicable to all nationwide permits (NWP) where a preconstruction notification (PCN) is required to be submitted to the U.S. Army Corps of Engineers, District Engineer and provides specific information to request verification by the Corps District in order to process your PCN. NWP activities require notification under certain circumstances. Review the terms of the individual NWP authorization, general condition 22 and 32, or the regional conditions to identify these circumstances. In addition, the PCN shall include:**

**Condition G-1:**

1. The permittee shall notify the Corps of Engineers in accordance with General Condition 32 by using a signed application form (ENG Form 6082).
2. The PCN shall also include the following information:
  - A. All PCNs to the Corps of Engineers shall describe all activities that the applicant plans to undertake that are reasonably related to the same project.
  - B. A written statement that clearly describes the following: (1) what measures have been taken to avoid impacts on aquatic resources; (2) what measures have been taken to avoid and/or minimize any discharges into wetlands or waters of the United States; and (3) what measures have been developed to compensate for any impacts to waters of the United States.
  - C. All PCNs to the Corps of Engineers shall include the following information, where applicable: (1) all information specified in the nationwide permit itself or general conditions; (2) plan(s) showing all work in areas subject to Federal jurisdiction on 8-1/2 by 11 inch paper and full-sized scaled engineering drawings, if available; (3) formal property identification such as lot and block or tax parcel number; (4) a delineation of areas within Federal jurisdiction, including wetlands, for the entire project area; (5) existing water depths; (6) depth of any cables or pipelines below mean low water; and height of any cables, pipelines or other structures above mean high water; (7) the maximum distance that any structure(s) would extend channelward of the mean high water line or ordinary high water in non-tidal areas; (8) the maximum distance that any fill would extend channelward of the high tide line or ordinary high water in non-tidal areas;

(9) the width of the waterway at the project site; (10) the location of any mapped floodplain areas; (11) the location of any dredged material disposal area; (12) the distance from the edge of any navigation channel; (13) the location of any temporary work, structures, vessels, or fills required for the construction; (14) a copy of any previous Federal or State approvals; and (15) the location and nature of any submerged aquatic vegetation (e.g., eel grass - *Zostera marina*) or shellfish beds.

- D. For all Mariculture activities, all PCNs to the to the Corps of Engineers shall also include the following information at a minimum, in addition to any specified PCN requirements set forth in the terms and conditions of the NWP (48, 55 & 56): (1) A map showing the location of the proposed project (e.g., waterway, county, city, state), including the longitude and latitude of site boundaries; (2) a written description of the proposed project describing the size and scale of the project; (3) a description of culture and harvesting methods being proposed, which include common and scientific names of cultivated species, to include sub species, if applicable; (4) the type of seed to be used (e.g., spat-on-shell, shellfish shells or shell fragments, alternative substrate materials, etc.); (5) description of any and all proposed predator exclusion devices and/or bird deterrents; (6) general water depths, bottom characteristics (e.g., sand, silt, shell, mud, etc.), and benthic species present (including submerged aquatic vegetation) in the project area(s); and (7) schematics or drawings (formally engineered schematics and drawings are not required but shall be of good reproducible quality) showing how the gear will be deployed on the site which include a project Site Plan (Bird's Eye View), a Cross-Sectional View Plan, and an equipment (e.g., cage design, bag design, racks, etc.) Typical View Plan.
- E. Where the State has denied 401 WQC and/or not concurred with the Corps of Engineer's CZM consistency determination for an NWP authorization, the prospective permittee shall contact the State to obtain an activity specific review and approval by the State prior to submitting any required PCN to the Corps of Engineers.

**For Projects in the State of Delaware, The Delaware Department of Natural Resources and Environmental Control (DNREC) can be reached at:**

- For projects requiring an individual 401 WQC, and/or a wetlands and subaqueous lands permit please contact the DDNREC by following the instructions found on their website at: <https://dnrec.alpha.delaware.gov/water/wetlands-subaqueous/>
- For projects requiring an individual CZM consistency determination, please contact the DNREC by following the instructions found on their website at: <https://dnrec.alpha.delaware.gov/coastal-programs/coastal-management/federal-consistency/>

**For Projects in the State of Maryland, The Maryland Department of Environment (MDE) can be reached at:**

- For projects requiring an individual 401 WQC please contact the MDE by following the instructions found on their website at: <https://mde.maryland.gov/programs/Water/WetlandsandWaterways/Pages/WQC.aspx>
- For projects requiring an individual CZM consistency determination, please contact the MDE by following the instructions found on their website at: <https://mde.maryland.gov/programs/Water/WetlandsandWaterways/Pages/CZM.aspx>
- For projects requiring an MDE wetlands and waterways permit, please contact the MDE by following instructions found on their website at: <https://mde.maryland.gov/programs/water/WetlandsandWaterways/Pages/index.aspx>

- F. Documentation from the State agency(s) indicating whether the proposed project is located within a State Natural Heritage site, or National Estuarine Research Reserve. This documentation shall also indicate whether the project is located on a property listed or eligible for listing on the National Register of Historic Places. The information provided to State agency(s) shall include the information described above in this condition and any other information specifically requested by the state agency(s) to conduct their evaluation. (For further information see NWP general conditions 20, 22 and 32)

**The appropriate addresses for these programs are also provided below:**

- For inquiries related to State Natural Heritage Sites and/or National Estuarine Research Reserves in Delaware, please contact the DDNREC by following instructions found on their website at: <https://dnrec.alpha.delaware.gov/fish-wildlife/conservation/reviews/>
- For inquires related to the National Register of Historic Places in Delaware, please contact the Delaware Historical

and Cultural Affairs by following instructions found on their website at:  
<https://history.delaware.gov/preservation/sec106/>

- For inquiries related to the National Register of Historic Places in Maryland, please contact the Maryland Historical Trust by following instructions found on their website at: <https://mht.maryland.gov/projectreview.shtml>

### **REGIONAL GENERAL CONDITION – 2 (G-2)**

**This regional condition is applicable to all nationwide permit activities located in waters of the United States that are a component of the National Wild and Scenic River System, or have been officially designated as a “study river” for possible inclusion in the system (See NWP General Condition 16).**

**Condition G-2:** Coordination between the applicant and the National Park Service is required for any activity potentially affecting a component of the National Wild and Scenic Rivers System or a river under official study status. No work can begin until the National Park Service has determined in writing that the proposed activity will not adversely affect the designation or study status. Documentation of coordination and National Park Service concurrence shall be forwarded to the Corps of Engineers. Additional coordination between the Corps of Engineers, applicant and National Park Service may be necessary on a case-by-case basis to address identified Wild and Scenic River issues. The following list includes the waterway locations in Delaware that are currently subject to this regional condition. White Clay Creek; Pennsylvania and Delaware; from the headwaters in Pennsylvania to the confluence with the Christina River in Delaware and all tributaries, including the East, West and Middle Branches, Middle Run, Pike Creek, Mill Creek, and other main branches and tributaries. National Park Service correspondence shall be sent to the following address:

National Park Service, Wild and Scenic Rivers Program  
Division of Conservation and Recreation Assistance  
Interior Region 1, Mid-Atlantic  
1234 Market Street  
Philadelphia PA 19107

### **REGIONAL GENERAL CONDITION – 3 (G-3) ENDANGERED SPECIES (USFWS)**

**This regional condition is intended to satisfy the requirements of Section 7 of the Endangered Species Act (ESA) for those species under the jurisdiction of the United States Fish and Wildlife Service (USFWS). This regional condition is applicable to ALL nationwide permit (NWP) activities (See NWP General Condition 18. *Endangered Species*).**

**Condition G-3:** Prior to any work, the applicant shall document that they have followed the consultation guidance published on the Chesapeake Bay Field Office website <https://www.fws.gov/chesapeakebay/saving-wildlife/project-review/index.html> to determine if a proposed NWP activity may affect a listed species. A list of federally listed species for your action area shall be generated using the USFWS’s, Information for Project Planning and Conservation (IPaC) at the following website <https://ecos.fws.gov/ipac/>. Upon your IPaC report, the proposed activity shall be screened for potential adverse effects to any listed species using the screening procedures published on the Chesapeake Bay Field Office website, or other more specific screening procedures that have been developed by the Chesapeake Bay Office for particular agencies, organizations, activities, or species. The applicant shall follow the guidance provided on the Chesapeake Bay Office website. If necessary, contact the Chesapeake Bay Field Office for further coordination prior to applying to the Corps of Engineers for an NWP verification.

### **REGIONAL GENERAL CONDITION – 4 (G-4) ENDANGERED SPECIES (NMFS)**

**This regional condition is intended to satisfy the requirements of the Section 7 of ESA for those species under the jurisdiction of the National Marine Fisheries Service (NMFS). This regional condition is applicable to ALL nationwide permit activities (See NWP General Condition 18. *Endangered Species*).**

**Condition G-4:** Prior to any work, the applicant shall conduct an online project review by accessing the NOAA Fisheries ESA Section 7 Mapper found at <https://www.fisheries.noaa.gov/new-england-mid-atlantic/consultations/section-7-species-critical-habitat-information-maps-greater#esa-section-7-mapper>. If upon completion of this review the species list determination indicates there are listed, proposed or candidate species located in an area that may be affected by the proposed action, the applicant is required to submit a PCN to the Corps of Engineers to determine if the action will result in an “EFFECT” to the listed species.

Additional technical consultation guidance can be found on the NOAA Fisheries website <https://www.fisheries.noaa.gov/new-england-mid-atlantic/consultations/section-7-consultation-technical-guidance-greater-atlantic> to determine if a proposed NWP activity may affect a listed species.

## **REGIONAL GENERAL CONDITION 5 – (G-5) ESSENTIAL FISH HABITAT**

**This regional condition is intended to satisfy the requirements of the Magnuson Stevens Fishery Conservation and Management Act (MSA). This regional condition is applicable to all nationwide permit (NWP) activities where a PCN is not required or when a PCN is required and submitted to the Corps of Engineers. The NOAA National Marine Fisheries Service (NMFS) and the MSA requires federal agencies such as the Corps of Engineers to consult with NMFS on projects that may adversely affect Essential Fish Habitat (EFH).**

**Condition G-5(a):** Provided the applicant complies with the general conditions and terms of the NWPs, as applicable, in addition to any regional or case-specific conditions imposed by the district engineer, the Philadelphia District through consultation with the service has determined the adverse effect on EFH is not substantial for all activities verified under the 2021 NWPs except for the following:

- (1) A PCN shall be submitted to the Corps of Engineers for all NWP activities covered under NWPs 27, 38, 52, 53, 54, 55, and 56, all proposed one-way tide gates; all structures placed offshore for the sole purpose of bank stabilization as specified in Condition (c) under NWP 13; all requests for waivers as specified under the terms and conditions of the regional conditions; or activities that result in the loss of greater than 1/2-acre of waters of the United States; or when the District Engineer determines to grant a waiver of an applicable limit as provided for in NWPs 13, 36, or 54.
- (2) A PCN shall also be submitted to the Corps of Engineers for any NWP activity that is proposed within 50 feet of submerged aquatic vegetation (SAV) beds, mapped SAV habitat, and/or within Habitat Areas of Particular Concern (HAPC) for the sandbar shark (*Carcharhinus plumbeus*) or sand tiger shark (*Carcharias taurus*) as depicted by the Essential Fish Habitat Mapper (<https://www.fisheries.noaa.gov/resource/map/essential-fish-habitat-mapper>).

\*SAV is defined as rooted, submerged, vascular plants such as widgeon grass (*Ruppia maritima*), sago pondweed (*Potamogeton pectinatus*), horned pondweed (*Zannichellia palustris*), eelgrass (*Zostera marina*), water weed (*Elodea nuttalli*), Parker's pipewort (*Eriocaulon parkeri*), eastern grasswort (*Liaeopsis chinensis*), wavy water nymph (*Naja flexilis*), spatterdock (*Nuphar variegatum*), curly-leaf pondweed (*Potamogeton crispus*), ribbonleaf pondweed (*Potamogeton epihydrus*), claspingleaf pondweed (*Potamogeton perfoliatus*), small pondweed (*Potamogeton pusillus*), water bulrush (*Scirpus subterminalis*), and wild celery (*Vallisneria Americana*). For the purpose of this regional condition, species of attached macro-algae are also included in this definition.

**Condition G-5(b):** In order to protect diadromous fish migrations, spawning activities, and EFH, in-water work shall be avoided in accordance to the following time of year restriction:

- (1) To protect diadromous fish migrations and spawning, in-water work shall be avoided from **March 1 to June 30** in all waters. This time of year restriction is not applicable to waters of the United States located upstream of an obstruction that precludes fish passage. This condition does not apply to on-going Commercial Shellfish Mariculture Activities (NWP 48) activities where a PCN was submitted and verified by the Corps of Engineers.
- (2) Work within cofferdams that fully enclose and dewater the project area can proceed any time during the year provided that the cofferdams are installed or removed outside of the seasonal work restriction and do not preclude the free movement of migrating and spawning aquatic species to ensure compliance with NWP General Condition 2 and 3.
- (3) A request for waiver from this timing restriction may be requested by submitting a PCN to the Corps of Engineers as set forth in Regional Condition-1 (G-1) which shall also include a written statement that clearly describes one or more of the following: (a) why the use of cofferdams cannot be implemented; (b) evidence documenting the waterway does not or has not historically supported migrations and/or spawning habitat; (c) what additional measures have been taken or are being proposed to avoid impacts; and (d) why the activity must be conducted within the restricted time periods (cost and logistics alone would not be sufficient).

\*Additional information on the MSA and EFH consultations can be found on the NOAA Fisheries, Greater Atlantic Region's Habitat and Ecosystem Services Division website at: <https://www.fisheries.noaa.gov/new-england-mid-atlantic/habitat-conservation/essential-fish-habitat-consultations-greater-atlantic-region>.

## **REGIONAL GENERAL CONDITION 6 – (G-6) FISH & WILDLIFE COORDINATION ACT**

**This regional condition is intended to satisfy conservation recommendations made under the Fish and Wildlife Coordination Act. This regional condition is applicable to ALL nationwide permit activities where a PCN is not required or when a PCN is required and submitted to the Corps of Engineers unless waived by the district engineer.**

**Condition G-6(a):** In order to protect the American horseshoe crab (*Limulus Polyphemus*), a NOAA Trust Resource, in-water work shall be avoided from River Mile Zero (RM 0) at the mouth of the Delaware Bay, extending to the Kent/New Castle County line along the Delaware Bay shoreline, and to include ALL tributary mouths within this reach, from **April 15 to August 30**. In-water work shall also be avoided in Rehoboth Bay and Indian River Bay within this time of year restriction. This condition does not apply to on-going Commercial Shellfish Mariculture Activities (NWP 48) activities where a PCN was submitted and verified by the Corps of Engineers.

**Condition G-6(b):** For all activities requiring the use of poured concrete in waters of the United States, any discharge of poured concrete must be contained within watertight cells/forms or poured in the dry until the concrete has set.

**REGIONAL GENERAL CONDITION 7 – (G-7)**

**This regional condition is a modification of general condition 22 (Critical Resource Waters).**

**Condition G-7:** In the State of Delaware, State Natural Heritage Sites are included as critical resource waters and are subject to the terms and limitations specified in general condition 22. Information relating to Natural Heritage sites can be obtained by contacting the Wildlife Species Conservation and Research Program. Their contact information is included in Regional General Condition 1 (G-1).

**Designated Critical Resource Waters.** Critical resource waters include, NOAA-managed marine sanctuaries and marine monuments, and National Estuarine Research Reserves. The Corps of Engineers may designate, after notice and opportunity for public comment, additional waters officially designated by a state as having particular environmental or ecological significance, such as outstanding national resource waters or state natural heritage sites. The Corps of Engineers may also designate additional critical resource waters after notice and opportunity for public comment.

- (1) Discharges of dredged or fill material into waters of the United States are **NOT** authorized by NWPs **7, 12, 14, 16, 17, 21, 29, 31, 35, 39, 40, 42, 43, 44, 49, 50, 51, 52, 57 and 58** for any activity within, or directly affecting, critical resource waters, including wetlands adjacent to those waters.
- (2) For NWPs **3, 8, 10, 13, 15, 18, 19, 22, 23, 25, 27, 28, 30, 33, 34, 36, 37, and 38**, notification is required in accordance with general condition 32, for any activity proposed in the designated critical resource waters including wetlands adjacent to those waters. The Corps of Engineers may authorize activities under these NWPs only after it is determined that the impacts to the critical resource waters will be no more than minimal.

\*\*\*\*\*

**Activity Specific Nationwide Permit Regional Conditions**

\*\*\*\*\*

**REGIONAL CONDITIONS FOR NWP (12) OIL OR NATURAL GAS PIPELINE ACTIVITIES**

**Condition (a):** Any activity associated with this NWP shall require a PCN submitted to the Corps of Engineers.

**Condition (b):** This NWP does not authorize the discharge of any drilling muds that may be generated through such methods as directional boring or drilling. Further, any directional drilling or boring activities must include a plan that addresses prevention, containment and cleanup of any accidental discharges known as “frac-out”. If a frac-out occurs, the plan addressing containment and clean up shall be immediately implemented and the Corps of Engineers shall be notified of the frac-out within 24 hours.

**Condition (c):** This NWP does not authorize stockpiling excavated material in wetlands for longer than 30 days.

**Condition (d):** Any excavated or stockpiled materials shall be stabilized in accordance with applicable State Sediment and Stormwater Regulations to prevent reentry into any waterway or wetland.

**Condition (e):** Activities occurring below the plane of ordinary high water of any stream or waterway shall be constructed under dry conditions, using stream diversions other than earthen cofferdams, unless it is demonstrated to the satisfaction of the Corps of Engineers to be impracticable.

**Condition (f):** The proposed activity shall not result in the draining of any water of the U.S., including wetlands. This may be accomplished through the use of clay blocks, bentonite, or other suitable material, as approved by the Corps of Engineers, to seal the trench at wetland boundaries and every 100 feet within any waters of the United States.

Condition (g): Where a pipeline is constructed parallel to a stream corridor, a buffer shall be maintained between the utility and the waterway to avoid or minimize potential future impacts to waters of the United States. These disturbances would include such issues as leaks or failures, future stream channel meandering, stream bank instability and failure, and right-of-way maintenance. Measures designed to satisfy this condition must be described in any PCN to the Corps of Engineers.

Condition (h): If a proposed activity would involve impacts to submerged aquatic vegetation (SAV), the applicant shall clearly document all efforts to avoid and minimize the impacts and to achieve restoration of these areas. At a minimum, this shall include pre-construction surveys along the entire right-of-way to map all existing SAV, construction schedules, and long-term monitoring to assess restoration of SAV areas.

Condition (i): Clearances for aerial crossings must be a minimum of ten (10) feet above clearances required for bridges.

**For Buried Pipelines Across Navigable Waters:**

Condition (j): The top of the pipe or pipeline shall be located a minimum of 4 feet below the existing bottom elevation and shall be backfilled with suitable heavy material to the preconstruction bottom elevation.

Condition (k): Within 60 days after completion of the work, the permittee shall furnish the Corps of Engineers and National Oceanic and Atmospheric Administration, Nautical Data Branch, N/CS26, Station 7230, 1315 East-West Highway, Silver Spring, Maryland 20910-3282, with certification that the pipe or pipeline has been installed in compliance with the approved plans. The certification shall include a survey conducted by a licensed surveyor, or a "drawing of record" if installation is conducted by directional drilling, which clearly shows the elevations and alignment of the pipe or pipeline across the waterway. Any discrepancies shall be clearly noted.

Condition (l): There shall be no stockpiling or double handling of any excavated/dredged materials within any waterway, unless specifically reviewed and approved by the Corps of Engineers as a part of any PCN. Further, all excess or unsuitable dredged or excavated material not used as backfill over any cable or pipeline shall be disposed at a disposal site approved by the Corps of Engineers.

**For Buried Pipes or Pipelines Across the Delaware River Federal Navigation Channel:**

Condition (m): The top of the pipe or pipeline crossing the Federal project channel shall be located a minimum of twenty-five (25) feet below the authorized project channel depth and shall be backfilled with suitable heavy materials to the adjacent river bottom elevation. In areas outside the Federal project channel, the top of pipe or pipeline shall be located a minimum of fifteen (15) feet below existing river bottom elevation and shall be backfilled with suitable material to the adjacent river bottom elevation.

**For Buried Pipes or Pipelines Across "ALL OTHER" Federal Navigation Channels:**

Condition (n): The top of the pipe or pipeline crossing the Federal project channel shall be located a minimum of 6 feet below the authorized project channel depth and shall be backfilled with suitable heavy materials to the adjacent river bottom elevation. In areas outside the Federal project channel, the top of pipe or pipeline shall be located a minimum of 4 feet below existing river bottom elevation and shall be backfilled with suitable material to the adjacent river bottom elevation.

**REGIONAL CONDITION FOR NWP (29) RESIDENTIAL DEVELOPMENTS**

Condition (a): In Delaware, a duplicate copy of any PCN to the Corps of Engineers shall be forwarded to the Delaware Department of Natural Resources and Environmental Control, Division of Water Resources, Wetlands and Subaqueous Lands Section, 89 Kings Highway Dover, Delaware 19901.

Condition (b): Under the terms of this NWP, any wetlands that are located within the platted lot lines of any residential development will be considered an adverse effect on waters of the United States, unless the wetlands are protected by conservation easement, deed conveyance or covenants, or any other real estate mechanism that can demonstrate to the Corps of Engineers that these areas will be protected and/or preserved in perpetuity.

Condition (c): This NWP does not authorize construction of ponds or storm-water management basins in waters of the United States.

Condition (d): This NWP does not authorize construction of sewage disposal systems in waters of the United States.

Condition (e): This NWP does not authorize the discharge of dredged or fill material for the construction or expansion of a single-family residential structure, including any attendant features or structures. This type of activity may be eligible for some other type of authorization.

## **REGIONAL CONDITION FOR NWP (39) COMMERCIAL AND INSTITUTIONAL DEVELOPMENTS**

Condition (a): In Delaware, a duplicate copy of any PCN to the Corps of Engineers shall be forwarded to the Delaware Department of Natural Resources and Environmental Control, Division of Water Resources, Wetlands and Subaqueous Lands Section, 89 Kings Highway Dover, Delaware 19901.

Condition (b): Under the terms of this NWP, any wetlands that are located within the plotted lot lines of any commercial or institutional development will be considered an adverse effect on waters of the United States, unless the wetlands are protected by conservation easement, deed conveyance or covenants, or any other real estate mechanism that can demonstrate to the Corps of Engineers that these areas will be protected and/or preserved in perpetuity.

Condition (c): The discharge of fill for the construction or expansion of a single-family residential structure, including any attendant features or structures, is not authorized by this NWP. This type of activity may be eligible for authorization under the terms and conditions of other NWPs or individual permit.

Condition (d): This NWP does not authorize construction of ponds or storm-water management basins in waters of the United States.

Condition (e): This NWP does not authorize construction of sewage disposal systems in waters of the United States.

## **REGIONAL CONDITION FOR NWP (40) AGRICULTURAL ACTIVITIES**

Condition (a): This NWP does not authorize any activities located in any perennial stream.

## **REGIONAL CONDITION FOR NWP (42) RECREATIONAL FACILITIES**

Condition (a): This NWP does not authorize any support facilities or buildings such as parking facilities, storage or maintenance buildings, rental buildings or office buildings. In addition, the NWP does not authorize fill for the construction or expansion of golf courses or ski areas.

Condition (b): This NWP does not authorize construction of ponds or storm-water management basins in waters of the United States.

Condition (c): This NWP does not authorize construction of sewage disposal systems in waters of the United States.

## **REGIONAL CONDITION FOR NWP (43) STORMWATER MANAGEMENT FACILITIES**

Condition (a): A PCN shall be submitted to the Corps of Engineers for all activities in waters of the United States.

Condition (b): This NWP does not authorize any activities located in perennial streams and intermittent waters.

## **REGIONAL CONDITION FOR NWP (48) COMMERCIAL MARICULTURE ACTIVITIES**

Condition (a): A PCN must be submitted to the Corps of Engineers for all activities in waters of the United States.

Condition (b): Any introduced shellfish must be certified under Delaware standards as being disease and parasite free.

Condition (c): All structures associated with the aquaculture activity must be removed from waters of the United States when/if the activity is abandoned.

Condition (d): Use of unsuitable materials for shellfish seeding (i.e., asphalt, bituminous concrete slag, tires, wallboard, plastic, wood, metal, crushed glass, and garbage) is prohibited.

Condition (e): Any proposed shellfish aquaculture activity within any portion of the Shellfish Aquaculture Development Areas (SADA) locations in the Delaware Inland Bays would not be subject to the terms of Regional General Conditions G-1.

Condition (f): Any PCN to the Corps of Engineers for any shellfish aquaculture activities within the SADA locations in the Delaware Inland Bays must provide the following information: (1) name and address of the applicant; (2) a copy of any lease agreement between the applicant and the State of Delaware for the proposed aquaculture activity; (3) a description of the proposed equipment to be used at each location; and (4) the location of the proposed activity including latitude and longitude coordinates along with any other lease area identification numbers further identifying the leased area(s).

Condition (g): Predator control devices (i.e., mesh fences, mesh nets, and mesh tents) suspended or erected vertically or obliquely in the water column to surround or enclose shellfish containment gear is prohibited.

Condition (h): Each individual cage and/or bag shall be directly tagged to display the owners name, address, lease location and Corps of Engineers permit number.

Condition (i): To protect navigation during daylight, lowlight and nighttime conditions, the perimeter of the lease site and authorized structures shall be marked in accordance with U.S. Coast Guard requirements. The permittee shall contact the U.S. Coast Guard at the following address to determine such requirements and shall comply with such requirements as directed by the U.S. Coast Guard: Commander (oan), Fifth Coast Guard District; 431 Crawford Street; Portsmouth, VA 23704; and no gear shall be installed prior to receiving official authorization.

#### **REGIONAL CONDITION FOR NWP (52) WATER-BASED RENEWABLE ENERGY GENERATION PILOT PROJECTS**

Condition (a): Any activity associated with this NWP shall require a PCN to the Corps of Engineers. The Corps of Engineers will coordinate review of all PCNs with the Federal and State resource agencies.

#### **REGIONAL CONDITION FOR NWP (55) SEAWEED MARICULTURE ACTIVITIES**

Condition (a): All structures associated with the Seaweed Mariculture operation shall be removed from waters of the United States when/if the activity is abandoned.

Condition (b): All installed buoys, long-lines, floats, anchors, rafts, racks, and other similar structures installed into navigable waters of the United States shall be directly tagged to display the owners name, address, and Corps of Engineers permit number.

Condition (c): To protect navigation during daylight, lowlight and nighttime conditions, the perimeter of the site and authorized structures shall be marked in accordance with U.S. Coast Guard requirements. The permittee shall contact the U.S. Coast Guard at the following address to determine such requirements and shall comply with such requirements as directed by the U.S. Coast Guard: Commander (oan), Fifth Coast Guard District; 431 Crawford Street; Portsmouth, VA 23704; and no gear shall be installed prior to receiving official authorization.

#### **REGIONAL CONDITION FOR NWP (56) FINFISH MARICULTURE ACTIVITIES**

Condition (a): All structures associated with the Finfish Mariculture operation shall be removed from waters of the United States when/if the activity is abandoned.

Condition (b): All installed buoys, long-lines, floats, anchors, rafts, racks, and other similar structures installed into navigable waters of the United States shall be directly tagged to display the owners name, address, and Corps of Engineers permit number.

Condition (c): To protect navigation during daylight, lowlight and nighttime conditions, the perimeter of the site and authorized structures shall be marked in accordance with U.S. Coast Guard requirements. The permittee shall contact the U.S. Coast Guard at the following address to determine such requirements and shall comply with such requirements as directed by the U.S. Coast Guard: Commander (oan), Fifth Coast Guard District; 431 Crawford Street; Portsmouth, VA 23704; and no gear shall be installed prior to receiving official authorization.

#### **REGIONAL CONDITION FOR NWP (57) ELECTRIC UTILITY LINE AND TELECOMMUNICATIONS ACTIVITIES**

Condition (a): A PCN shall be submitted to the Corps of Engineers for all activities in waters of the United States under the terms of this NWP.

Condition (b): This NWP does not authorize the discharge of any drilling muds that may be generated through such methods as directional boring or drilling. Further, any directional drilling or boring activities must include a plan that addresses prevention, containment and cleanup of any accidental discharges known as "frac-out". If a frac-out occurs, the plan addressing containment and clean up shall be immediately implemented and the Corps of Engineers shall be notified of the frac-out within 24 hours.

Condition (c): This NWP does not authorize stockpiling excavated material in wetlands for longer than 30 days. Any excavated or stockpiled materials shall be stabilized in accordance with applicable State Sediment and Stormwater Regulations to prevent reentry into any waterway or wetland.



**Condition (d):** Activities occurring below the plane of ordinary high water of any stream or waterway shall be constructed under dry conditions, using stream diversions other than earthen cofferdams, unless it is demonstrated to the satisfaction of the Corps of Engineers to be impracticable.

**Condition (e):** Where a utility line is constructed parallel to a stream corridor, a buffer shall be maintained between the utility and the waterway to avoid or minimize potential future impacts to waters of the United States. These disturbances would include such issues as sewer line leaks or failures, future stream channel meandering, stream bank instability and failure, and right-of-way maintenance. Measures designed to satisfy this condition must be described in any PCN to the Corps of Engineers.

**Condition (f):** The proposed activity shall not result in the draining of any water of the United States. This may be accomplished through the use of clay blocks, bentonite, or other suitable material, as approved by the Corps of Engineers, to seal the trench at wetland boundaries and every 100 feet within any water of the U.S. including wetlands.

**Condition (g):** If a proposed activity would involve impacts to submerged aquatic vegetation (SAV), the applicant shall clearly document all efforts to avoid and minimize the impacts and to achieve restoration of these areas. At a minimum, this shall include pre-construction surveys along the entire right-of-way to map all existing SAV, construction schedules, and long-term monitoring to assess restoration of SAV areas.

**For Aerial Transmission Lines Across Navigable Waters:**

**Condition (h):** The following minimum clearances are required. These clearances are related to the clearances over the navigable channel provided by existing fixed bridges, or the clearances, which would be required by the U.S. Coast Guard for new fixed bridges in the vicinity of the proposed transmission line. These clearances are based on the low point of the line under conditions which produce the greatest sag, taking into consideration temperature, load, wind, length of span, and type of supports as outlined in the National Electrical Safety Code.

Nominal System Voltage, (kv)	Minimum additional clearance (feet) above clearance required for bridges
115 and below .....	20 feet
136 .....	22 feet
161 .....	24 feet
230 .....	26 feet
350 .....	30 feet
500 .....	35 feet
700 .....	42 feet
750 – 765 .....	45 feet

**Condition (i):** Clearances for communication lines, stream gauging cables, ferry cables, and other aerial crossings must be a minimum of ten (10) feet above clearances required for bridges.

**Condition (j):** Within 60 days of completion of the work, the permittee shall furnish the Corps of Engineers and the National Oceanic and Atmospheric Administration, Nautical Data Branch, N/CS26, Station 7230, 1315 East-West Highway, Silver Spring, Maryland 20910-3282, with certification that the aerial wire has been installed in compliance with the approved plans. The certification shall include a survey, conducted by a licensed surveyor, which clearly shows the minimum clearance of the aerial wires above the mean high water line at the time of the survey. The certification shall also include a statement by the permittee that the clearance of the wires, at maximum sag conditions, shall never be less than the clearance shown on the approved plans.

**For Buried Utility Lines Across Navigable Waters:**

**Condition (k):** The top of the utility line shall be located a minimum of 4 feet below the existing bottom elevation and shall be backfilled with suitable heavy material to the preconstruction bottom elevation.

Condition (l): Within 60 days after completion of the work, the permittee shall furnish the Corps of Engineers and National Oceanic and Atmospheric Administration, Nautical Data Branch, N/CS26, Station 7230, 1315 East-West Highway, Silver Spring, Maryland 20910-3282, with certification that the electric and/or telecommunication utility line has been installed in compliance with the approved plans. The certification shall include a survey conducted by a licensed surveyor, or a “drawing of record” if installation is conducted by directional drilling, which clearly shows the elevations and alignment of the cable or pipeline across the waterway. Any discrepancies shall be clearly noted.

Condition (m): There shall be no stockpiling or double handling of any excavated/dredged materials within any waterway, unless specifically reviewed and approved by the Corps of Engineers as a part of any PCN. Further, all excess or unsuitable dredged or excavated material not used as backfill over any cable or pipeline shall be disposed at a disposal site approved by the Corps of Engineers.

**For Utility Lines Across the Delaware River Federal Navigation Channel:**

Condition (n): The top of the utility line crossing the Federal project channel shall be located a minimum of twenty-five (25) feet below the authorized project channel depth and shall be backfilled with suitable heavy materials to the adjacent river bottom elevation. In areas outside the Federal project channel, the top of utility line shall be located a minimum of fifteen (15) feet below existing river bottom elevation and shall be backfilled with suitable material to the adjacent river bottom elevation.

**For Utility Lines Across “ALL OTHER” Federal Navigation Channels:**

Condition (o): The top of the utility line crossing the Federal project channel shall be located a minimum of 6 feet below the authorized project channel depth and shall be backfilled with suitable heavy materials to the adjacent river bottom elevation. In areas outside the Federal project channel, the top of the utility line shall be located a minimum of 4 feet below existing river bottom elevation and shall be backfilled with suitable material to the adjacent river bottom elevation.

**REGIONAL CONDITIONS FOR NWP (58) UTILITY LINE ACTIVITIES FOR WATER AND OTHER SUBSTANCES**

Condition (a): A PCN shall be submitted to the Corps of Engineers for all activities in waters of the United States under the terms of this NWP

Condition (b): This NWP does not authorize the discharge of any drilling muds that may be generated through such methods as directional boring or drilling. Further, any directional drilling or boring activities must include a plan that addresses prevention, containment and cleanup of any accidental discharges known as “frac-out”. If a frac-out occurs, the plan addressing containment and clean up shall be immediately implemented and the Corps of Engineers shall be notified of the frac-out within 24 hours.

Condition (c): This NWP does not authorize stockpiling excavated material in wetlands for longer than 30 days. Any excavated or stockpiled materials shall be stabilized in accordance with Delaware’s Sediment and Stormwater Regulations (October 2006 or as subsequently amended) to prevent reentry into any waterway or wetland.

Condition (d): Activities occurring below the plane of ordinary high water of any stream or waterway shall be constructed under dry conditions, using stream diversions other than earthen cofferdams, unless it is demonstrated to the satisfaction of the Corps of Engineers to be impracticable.

Condition (e): Where a utility line is constructed parallel to a stream corridor, a buffer shall be maintained between the utility and the waterway to avoid or minimize potential future impacts to waters of the United States. These disturbances would include such issues as sewer line leaks or failures, future stream channel meandering, stream bank instability and failure, and right-of-way maintenance. Measures designed to satisfy this condition must be described in any PCN to the Corps of Engineers.

Condition (f): The proposed activity shall not result in the draining of any water of the United States. This may be accomplished through the use of clay blocks, bentonite, or other suitable material, as approved by the Corps of Engineers, to seal the trench at wetland boundaries and every 100 feet within any water of the U.S. including wetlands.

Condition (g): If a proposed activity would involve impacts to submerged aquatic vegetation (SAV), the applicant shall clearly document all efforts to avoid and minimize the impacts and to achieve restoration of these areas. At a minimum, this shall include pre-construction surveys along the entire right-of-way to map all existing SAV, construction schedules, and long-term monitoring to assess restoration of SAV areas. This information shall also be furnished to NMFS in consort with the PCN for this NWP.

Condition (h): Clearances for aerial crossings must be a minimum of ten (10) feet above clearances required for bridges.

Condition (i): Within 60 days of completion of the work, the permittee shall furnish the Corps of Engineers and the National Oceanic and Atmospheric Administration, Nautical Data Branch, N/CS26, Station 7230, 1315 East-West Highway, Silver Spring, Maryland 20910-3282, with certification that the aerial wire has been installed in compliance with the approved plans. The certification shall include a survey, conducted by a licensed surveyor, which clearly shows the minimum clearance of the aerial wires above the mean high water line at the time of the survey. The certification shall also include a statement by the permittee that the clearance of the wires, at maximum sag conditions, shall never be less than the clearance shown on the approved plans.

**For Buried Utility Lines Across Navigable Waters:**

Condition (j): The top of the utility line shall be located a minimum of 4 feet below the existing bottom elevation and shall be backfilled with suitable heavy material to the preconstruction bottom elevation.

Condition (k): Within 60 days after completion of the work, the permittee shall furnish the Corps of Engineers and National Oceanic and Atmospheric Administration, Nautical Data Branch, N/CS26, Station 7230, 1315 East-West Highway, Silver Spring, Maryland 20910-3282, with certification that the utility line has been installed in compliance with the approved plans. The certification shall include a survey conducted by a licensed surveyor, or a “drawing of record” if installation is conducted by directional drilling, which clearly shows the elevations and alignment of the utility line across the waterway. Any discrepancies shall be clearly noted.

Condition (l): There shall be no stockpiling or double handling of any excavated/dredged materials within any waterway, unless specifically reviewed and approved by the Corps of Engineers as a part of any PCN. Further, all excess or unsuitable dredged or excavated material not used as backfill over any cable or pipeline shall be disposed at a disposal site approved by the Corps of Engineers.

**For Buried Utility Lines Across the Delaware River Federal Navigation Channel:**

Condition (m): The top of the utility line crossing the Federal project channel shall be located a minimum of twenty-five (25) feet below the authorized project channel depth and shall be backfilled with suitable heavy materials to the adjacent river bottom elevation. In areas outside the Federal project channel, the top of utility line shall be located a minimum of fifteen (15) feet below existing river bottom elevation and shall be backfilled with suitable material to the adjacent river bottom elevation.

**For Buried Utility Lines Across “ALL OTHER” Federal Navigation Channels:**

Condition (n): The top of the utility line crossing the Federal project channel shall be located a minimum of 6 feet below the authorized project channel depth and shall be backfilled with suitable heavy materials to the adjacent river bottom elevation. In areas outside the Federal project channel, the top of the utility line shall be located a minimum of 4 feet below existing river bottom elevation and shall be backfilled with suitable material to the adjacent river bottom elevation.